



CHESHIRE mouldings TRADE

2020 Trade Product Guide

Stairparts **04**

Doors **54**

Flooring **72**

Decking **96**

Porches, Gallows & Pineboard **108**

Mouldings **112**

Handy Packs **142**

Sheet Materials **148**

We have everything you need,
available from your local distributors.



Welcome to the all new **Trade Product Guide**

The new Cheshire Mouldings Trade range has been developed to offer the professional installer with a product offering that is the most comprehensive and wide reaching in the industry. Manufactured to the most exacting standards the entire range is now branded Cheshire Mouldings Trade as it is dedicated to offering the installer with the ideal solution.

For the first time ever you can see the complete Cheshire Mouldings range, from doors to flooring and mouldings to stair parts, everything from the great Cheshire Mouldings brand all in one place.

With all new stair parts designs and finishes for 2020 and a new style catalogue that shows inspirational images, technical drawings and fixing instructions, the new catalogue gives the trade everything needed to complete almost any installation.

Turn the page to find out more and simply e-mail us on enquiries@cheshiremouldings.co.uk to be kept up to date with our latest offers, promotions and new products for the coming year.



CHESHIRE mouldings TRADE

2020 Trade Product Guide

Stairparts 04

Doors 54

Flooring 72

Decking 96

Porches, Gallows & Pineboard 108

Mouldings 112

Handy Packs 142

Sheet Materials 148

Technical Information 156

Stairparts

Dynamic Stairparts

06 - Clarity

Combining toughened glass panels with classic designed oak handrails and either chrome or nickel panel brackets, the Clarity glass provides the illusion of a much larger room.

10 - Reflections

This beautifully engineered collection of easy to install stair parts creates real visual intrigue by casting shadows and reflections that are as unique and individual as you.

14 - Iron

Our Iron collection will balance the timeless luxury of classic materials with versatile modern designs to fit any home. Well engineered and easy to install.

18 - Axxys® II

This exquisite range blends the beauty of reflective metallic detail with the gorgeous organic warmth of high quality timbers. This range combines modern materials with traditional styling.

22 - Solo

This range is one of a kind. The clean lines in this collection draw your eye to the beautiful metallic detail that blends contemporary and traditional styles to deliver a truly unique finish.

26 - Rail in a Box / Wall Mounted Handrails

Offering a stylish range of solid timber handrails in a choice of pre-finished pine and oak or white primed, ready for you to paint or stain. Complete the look of your handrail with end caps to add a contemporary or detailed finishing touch.

29 - Stairklad

A quick and easy way of providing weary old stairs with a brand new look. This clever range of fully-finished stair flooring is made with oak veneers, making it the perfect complement to solid oak flooring in hallways and other rooms.

Benchmark Stairparts

The Benchmark collection represents real luxury and sets a new standard of how truly elegant traditional stair parts can be. This range offers a variety of exquisite products to suit any home; with plain, chamfered turned or twisted spindles and newels in timbers and finishes such as Pine, Hemlock, Oak and White Primed.

32 - Benchmark Pine

40 - Benchmark Hemlock

43 - Benchmark Oak

48 - Benchmark Twist

50 - Benchmark White Primed





Clarity



Easy Installation

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL


Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Clarity - Technical Specifications

Over the Post Fixing




Clarity - Components

Clarity Glass Panels


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
GLASS	CGPR1	200 x 8 x 835	1
GLASS	CGPR4	200 x 8 x 835	4
GLASS	CGPL1	200 x 8 x 850	1
GLASS	CGPL4	200 x 8 x 850	4
GLASS	CGPSL1	80 x 8 x 835	1

ALL GLASS MANUFACTURED TO BS EN12150.




Clarity Handrails & Baserails

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	CLBR240U	2400 x 58 x 28	1
OAK	CLBR420U	4200 x 58 x 28	1
OAK	CLHR240U	2400 x 58 x 60	1
OAK	CLHR420U	4200 x 58 x 60	1



Clarity Glass Panels Brackets

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
CHROME	CGPS2	-	2
CHROME	CGPS8	-	8
BRUSHED NICKEL	CGPB2	-	2
BRUSHED NICKEL	CGPB8	-	8

CGP
GLASS PANEL BRACKETSOPTC / OPTBN
OVER POST CONNECTOR


Over Post Connectors

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
CHROME	OPTC	-	1
BRUSHED NICKEL	OPTBN	-	1

RECC / RECBN
RAIL END CAP

Rail End Caps

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
CHROME	RECC	-	1
BRUSHED NICKEL	RECBN	-	1



Clarity Level Quarter Turn

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	CLLQTO	-	1

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475







FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Clarity - Components

Newel Trims

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
CHROME	NTC	-	1
BRUSHED NICKEL	NTBN	-	1
CHROME	NTCH	-	1
BRUSHED NICKEL	NTBNH	-	1

NTC / NTBN
NEWEL TRIMNTCH / NTBNH
HALF NEWEL TRIMSLIMCC / SLIMCN
NEWEL CAPSLIMCH / SLIMCHH
HALF NEWEL CAPCP150
NEWEL POSTCP150H
HALF NEWEL POSTCP350
STOREY NEWEL POST

Newel Caps

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
CHROME	SLIMCC	-	1
BRUSHED NICKEL	SLIMCN	-	1
CHROME	SLIMCCH	-	1
BRUSHED NICKEL	SLIMCNH	-	1

Newel Posts

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	CP150	90 x 90 x 1500	1
OAK	CP150H	90 x 41 x 1500	1
OAK	CP350	90 x 90 x 1000	1

Accessories

PRODUCT DESCRIPTION	CODE	QTY.
Handrail Fixing Kit	NEWFIXKIT	1
Newel Wedge Splitter	WEDGE SPLITTER	1
Double-Ended Screw with Cover Button	DWL-SCREW	1

WEDGE SPLITTER
WEDGE SPLITTER
70 x 27mmDWL-SCREW
DOWEL SCREWNEWFIXKIT
HANDRAIL FIXING KIT

Stairklad

Transform your staircase

This fully finished oak veneer stair flooring will transform your staircase into a stylish centrepiece for your home. It's pre-finished, making it durable and easy to install as it simply glues to your existing staircase.

Easy to install

Lacquered

Real oak veneer

Rounded front nosing

Reflections



Common Components For
Reduced Stock Holding

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL


Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Reflections - Technical Specifications

Over the Post Fixing




Reflections - Components

Reflections Glass Panels


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
GLASS	REF300L	300 x 8 x 860	1
GLASS	REF300R	300 x 8 x 1087	1
GLASS	REF80L	80 x 8 x 860	1

ALL GLASS MANUFACTURED TO BS EN12150.




Reflections Handrails & Baseraills

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	REFBR240	2400 x 63 x 50	1
OAK	REFBR420	4200 x 63 x 50	1
OAK	REFHR240	2400 x 63 x 69	1
OAK	REFHR420	4200 x 63 x 69	1




Over Post Connectors

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
CHROME	OPTC	-	1
BRUSHED NICKEL	OPTBN	-	1



Reflections Rail End Caps

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
CHROME	REFEC	-	1
BRUSHED NICKEL	REFBN	-	1



Reflections Level Quarter Turn

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	REFQTO	-	1

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Reflections - Components

Stairklad

Transform your staircase

This fully finished oak veneer stair flooring will transform your staircase into a stylish centrepiece for your home. It's pre-finished, making it durable and easy to install as it simply glues to your existing staircase.

Easy to install


Lacquered

Real oak veneer


Rounded front nosing

Newel Trims


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
CHROME	NTC	-	1
BRUSHED NICKEL	NTBN	-	1
CHROME	NTCH	-	1
BRUSHED NICKEL	NTBNH	-	1



NTC / NTBN
NEWEL TRIM



NTCH / NTBNH
HALF NEWEL TRIM



SLIMCC / SLIMCN
NEWEL CAP




SLIMCH / SLIMCNH
HALF NEWEL CAP

Newel Caps

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
CHROME	SLIMCC	-	1
BRUSHED NICKEL	SLIMCN	-	1
CHROME	SLIMCCH	-	1
BRUSHED NICKEL	SLIMCNH	-	1

Newel Posts


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	CP150	90 x 90 x 1500	1
OAK	CP150H	90 x 41 x 1500	1
OAK	CPSTO	90 x 90 x 1000	1



CP150
NEWEL POST



CP150H
HALF NEWEL POST



CPSTO
STOREY NEWEL POST

Accessories

PRODUCT DESCRIPTION	CODE	QTY.
Handrail Fixing Kit	NEWFIXKIT	1
Newel Wedge Splitter	WEDGE SPLITTER	1
Double-Ended Screw with Cover Button	DWL-SCREW	1



WEDGE SPLITTER
WEDGE SPLITTER
70 x 27mm



DWL-SCREW
DOWEL SCREW



NEWFIXKIT
HANDRAIL FIXING KIT

Iron



PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL


Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Iron - Technical Specifications




Over the Post Fixing



Iron - Components

Iron Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
IRON	ISPRAKE	14 x 14 x 805	1
IRON	ISPLAND	14 x 14 x 855	1
IRON	ISWRAKE	14 x 14 x 805	1
IRON	ISWLAND	14 x 14 x 855	1
IRON	IORAKE	14 x 14 x 805	1
IRON	IOLAND	14 x 14 x 855	1
IRON	IMRAKE	14 x 14 x 805	1
IRON	IMLAND	14 x 14 x 855	1




Over Post Connectors

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
BLACK	OPTBLK	-	1




RECBL
RAIL END CAP



OPTBLK
OVER POST CONNECTOR

Iron Rail End Caps

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
BLACK	RECBL	-	1



ILQTO
IRON LEVEL
QUARTER TURN

Iron Level Quarter Turn

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	ILQTO	-	1

Iron Handrails & Baserails Pre-drilled

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	RH124RK	2400 x 58 x 60	1
OAK	RH136RK	3600 x 58 x 60	1
OAK	RH142RK	4200 x 58 x 60	1
OAK	RH124LD	2400 x 58 x 60	1
OAK	RH136LD	3600 x 58 x 60	1
OAK	RIB24RK	2400 x 58 x 28	1
OAK	RIB36RK	3600 x 58 x 28	1
OAK	RIB42RK	4200 x 58 x 28	1
OAK	RIB24LD	2400 x 58 x 28	1
OAK	RIB36LD	3600 x 58 x 28	1

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475


FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Iron - Components

Newel Trims

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
BLACK	NTB	-	1
BLACK	NTBH	-	1



NTB
NEWEL TRIM

Newel Caps


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
BLACK	SLIMCB	-	1
BLACK	SLIMCBH	-	1



SLIMCB
NEWEL CAP

Newel Posts


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	CP150	90 x 90 x 1500	1
OAK	CP150H	90 x 41 x 1500	1
OAK	CPSTO	90 x 90 x 1000	1




CP150
NEWEL POST




SLIMCBH
NEWEL POST



CP150H
NEWEL POST



CPSTO
NEWEL POST



CPSTO
STOREY NEWEL POST

Accessories

PRODUCT DESCRIPTION	CODE	QTY.
Handrail Fixing Kit	NEWFIXKIT	1
Newel Wedge Splitter	WEDGE SPLITTER	1
Double-Ended Screw with Cover Button	DWL-SCREW	1



WEDGE SPLITTER
WEDGE SPLITTER
70 x 27mm



DWL-SCREW
DOWEL SCREW



NEWFIXKIT
HANDRAIL FIXING KIT

Stairklad

Transform your staircase

This fully finished oak veneer stair flooring will transform your staircase into a stylish centrepiece for your home. It's pre-finished, making it durable and easy to install as it simply glues to your existing staircase.

Easy to install

Lacquered

Real oak veneer

Rounded front nosing

Axxys® II



 New Metal Brackets 

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL


Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Axxys® II - Technical Specifications



Over the Post Fixing



Axxys® II - Components


Axxys® II Spindles inc. New Metal Brackets

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
CHROME	A2RKC	725 x 19 x 19	1
CHROME	A2RKCCK	725 x 19 x 19	6
CHROME	A2LDC	805 x 19 x 19	1
CHROME	A2LDCCK	805 x 19 x 19	6




Square Handrails & Baserails

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	CLBR240U	2400 x 58 x 28	1
OAK	CLBR420U	4200 x 58 x 28	1
OAK	CLHR240U	2400 x 58 x 60	1
OAK	CLHR420U	4200 x 58 x 60	1




Over Post Connectors

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
CHROME	OPTC	-	1



Rail End Caps

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
CHROME	RECC	-	1



Square Level Quarter Turn

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	CLLQTO	-	1

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Stairklad

Transform your staircase

This fully finished oak veneer stair flooring will transform your staircase into a stylish centrepiece for your home. It's pre-finished, making it durable and easy to install as it simply glues to your existing staircase.

Easy to install


Lacquered

Real oak veneer


Rounded front nosing

Newel Trims


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
CHROME	NTC	-	1
BRUSHED NICKEL	NTBN	-	1
CHROME	NTCH	-	1
BRUSHED NICKEL	NTBNH	-	1



NTC / NTBN
NEWEL TRIM




NTCH / NTBNH
HALF NEWEL TRIM



SLIMCC / SLIMCN
NEWEL CAP




SLIMCH / SLIMCNH
HALF NEWEL CAP



CP150
NEWEL POST



CP150H
HALF NEWEL POST



CPSTO
STOREY NEWEL POST

Newel Caps

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
CHROME	SLIMCC	-	1
BRUSHED NICKEL	SLIMCN	-	1
CHROME	SLIMCCH	-	1
BRUSHED NICKEL	SLIMCNH	-	1

Newel Posts

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	CP150	90 x 90 x 1500	1
OAK	CP150H	90 x 41 x 1500	1
OAK	CPSTO	90 x 90 x 1000	1

Accessories

PRODUCT DESCRIPTION	CODE	QTY.
Handrail Fixing Kit	NEWFIXKIT	1
Newel Wedge Splitter	WEDGE SPLITTER	1
Double-Ended Screw with Cover Button	DWL-SCREW	1



WEDGE SPLITTER
70 x 27mm



DWL-SCREW
DOWEL SCREW



NEWFIXKIT
HANDRAIL FIXING KIT

Solo



PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL


Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Solo - Technical Specifications

Post to Post Fixing



Solo can be used with Benchmark Stairparts if desired.
See pages 32-53 for further details.


Solo - Components

Solo 895mm Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE / CHROME	AXSOLO900PC	895 x 41 x 41	1
OAK / CHROME	AXSOLO9000C	895 x 41 x 41	1
OAK / BRUSHED NICKEL	AXSOLO9000N	895 x 41 x 41	1

Solo 1100mm Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK / CHROME	AXSOLO1100C	1100 x 41 x 41	1
OAK / BRUSHED NICKEL	AXSOLO1100N	1100 x 41 x 41	1



Solo Newel Caps

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE / CHROME	AXSOLOCAPP	110 x 110 x 38	1
PINE / CHROME	AXSOLOCAPPHALF	110 x 50 x 38	1
OAK / CHROME	AXSOLOCAPO	110 x 110 x 38	1
OAK / CHROME	AXSOLOCAPOHALF	110 x 50 x 38	1
OAK / BRUSHED NICKEL	AXSOLOCAPON	110 x 110 x 38	1
OAK / BRUSHED NICKEL	AXSOLOCAPONHALF	110 x 50 x 38	1
CHROME	SLIMCAP	95 x 95 x 15	1
CHROME	SLIMCAPHALF	95 x 42 x 15	1
BRUSHED NICKEL	SLIMCAPN	95 x 95 x 15	1
BRUSHED NICKEL	SLIMCAPNHALF	95 x 42 x 15	1

Accessories

PRODUCT DESCRIPTION	CODE	QTY.
Handrail Fixing Kit	NEWFIXKIT	1
Newel Wedge Splitter	WEDGE SPLITTER	1
Double-Ended Screw with Cover Button	DWL-SCREW	1



Solo can be used with Benchmark Stairparts if desired. See pages 32-53 for further details.

Stairklad

Transform your staircase

This fully finished oak veneer stair flooring will transform your staircase into a stylish centrepiece for your home. It's pre-finished, making it durable and easy to install as it simply glues to your existing staircase.

Easy to install

Lacquered

Real oak veneer

Rounded front nosing



Say hello to our latest flooring collections

From Laminate Flooring
to Solid Oak, head to Page 72
for more details.




Rail In A Box

Rail In A Box Set Pre-finished with Lacquer

Each kit contains 4 x 1m Rails, 5 x Wall Patrice, 3 x Intermediate Wall Connectors, 1 x Left Hand Wall Connector and 1 x Right Hand Wall Connector.

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE / CHROME	RBOPC	-	1
PINE / BR. NICKEL	RBOPN	-	1
OAK / CHROME	RBOOC	-	1
OAK / BR. NICKEL	RBOON	-	1

RBO
RAIL IN A BOX KIT



Connector Fittings


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
CHROME	RBIC	-	1
CHROME	RBECL	-	1
CHROME	RBECL	-	1
BRUSHED NICKEL	RBICN	-	1
BRUSHED NICKEL	RBECLN	-	1
BRUSHED NICKEL	RBECLN	-	1

Handrails Pre-finished with Lacquer

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	RBHRP	1000 x 54 x 54	1
OAK	RBHRO	1000 x 54 x 54	1

Wall Patrice Pre-finished with Lacquer

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	AXPATP	21 x 90 x 100	1
OAK	AXPATO	21 x 90 x 100	1



PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Wall Mounted Handrails



Handrails have a circumference of 54mm and are available in 2400mm, 3600mm and 4200mm lengths.



End caps and brackets are available in Black, Brass or Chrome effect.



Three end cap options - Short, Medium and Filigree.



PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT


Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Wall Mounted Handrails - Components

Pigs Ear Handrails

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	HR4.2PIGSEAR*	32 x 95 x 4200	4
OAK	PIG-RAIL-420	32 x 95 x 4200	1

* Sold in bundles of 4.



Mop Stick Handrails

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM475*	44 x 43 x 4200	5

* Sold in bundles of 5.



Wall Mounted Handrail Brackets

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
CHROME	WB1	-	1
BLACK	WB3	-	1
BRASS	WB4	-	1





Wall Handrail End Caps

TIMBER / FINISH	CODE	DESCRIPTION	QTY.
CHROME	RBM01C	Short End Cap	2
BRASS	RBM01BR	Short End Cap	2
BLACK	RBM01P	Short End Cap	2
CHROME	RBM02C	Medium End Cap	2
BRASS	RBM02BR	Medium End Cap	2
BLACK	RBM02P	Medium End Cap	2
CHROME	RBM03C	Fillgree End Cap	2
BRASS	RBM03BR	Fillgree End Cap	2
BLACK	RBM03P	Fillgree End Cap	2



Wall Mounted Handrails

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	MPR24P	54 x 54 x 2400	1
PINE	MPR36P	54 x 54 x 3600	1
PINE	MPR42P	54 x 54 x 4200	1
OAK	MPR24O	54 x 54 x 2400	1
OAK	MPR36O	54 x 54 x 3600	1
OAK	MPR42O	54 x 54 x 4200	1
WHITE PRIMED	MPR24W	54 x 54 x 2400	1
WHITE PRIMED	MPR36W	54 x 54 x 3600	1
WHITE PRIMED	MPR42W	54 x 54 x 4200	1



Mop Stick Handrail Fittings


TIMBER / FINISH	CODE	DESCRIPTION	QTY.
PINE	PMP1	90° Elbow	1
PINE	PMP2	Overeasing	1
PINE	PMP3	Upeasing	1
OAK	OMP1	Upeasing	1
OAK	OMP2	Overeasing	1
OAK	OMP3	90° Elbow	1



Square Handrails



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	CLHR24OU	2400 x 58 x 60	1
OAK	CLHR42OU	4200 x 58 x 60	1

CLHR240U / CLHR420U
SQUARE HANDRAIL




Square Wall Mounted Handrail Brackets

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
CHROME	SWBC	-	1
BRUSHED NICKEL	SWBBN	-	1
BLACK	SWBL	-	1



Square Rail End Caps

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
CHROME	RECC	-	2
BRUSHED NICKEL	RECBN	-	2
BLACK	RECBL	-	2



Axxys® Wall Mounted Handrail Brackets

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
BRUSHED NICKEL	AXMWECB¹	-	1
CHROME	AXMWEC¹	-	1

Axxys® Rail End Caps

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
BRUSHED NICKEL	AXMWCB¹	-	1
CHROME	AXMWBS¹	-	1

¹ Only for use with the 54mm handrails.

Stairklad



PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Stairklad - Technical Specifications



Stairklad - Before



Stairklad - After

1. Fit Packers and Risers.



2. Fit Tread panels.



3. Repeat for each step until complete.




Available with a Universal Bull Nose




Extension Board



Use of an Extension Board on a Quarter Turn Landing



Use of an Extension Board on a wider turn.



Stairklad - Components


Stairklad has been specifically developed to be used where the end user wants a complete statement change, without all the hassle and work.

Manufactured from the very best kiln dried lacquered timber to the highest quality standards, Stairklad is perfect to give any staircase a makeover.

See how stair flooring can transform your stairs

Watch our video online


www.cheshiremouldings.co.uk/products/stair-parts/stairklad




Stairklad Tread & Riser Kits

TIMBER / FINISH	CODE	CONTENTS / QTY.	SIZE (mm)
OAK	SCT10-OKIT	1 x Tread 1 x Riser	1000 x 28 x 300 1000 x 9 x 195
OAK	SCT10-OKIT3PK	3 x Tread 3 x Riser	1000 x 28 x 300 1000 x 9 x 195
OAK	SCT15-OKIT	1 x Tread 1 x Riser	1500 x 28 x 300 1500 x 9 x 195

SCT10-OKIT
TREAD: 1000 x 28 x 300mm
RISER: 1000 x 9 x 195mm




SCT15-OKIT
TREAD: 1500 x 28 x 300mm
RISER: 1500 x 9 x 195mm



Stairklad Extension


TIMBER / FINISH	CODE	CONTENTS / QTY.	SIZE (mm)
OAK	SCT13-O	1 x Tread	1220 x 13 x 200



SCT13-O
EXTENSION: 1220 x 13 x 200mm


Stairklad Bullnose Tread & Riser Set

TIMBER / FINISH	CODE	CONTENTS / QTY.	SIZE (mm)
OAK	SCBNO	1 x Tread, 1 x Riser	-



Stairklad String Veneer

TIMBER / FINISH	CODE	CONTENTS / QTY.	SIZE (mm)
OAK	SCV-4200-O	1	4200 x 0.65 x 285



SCV-4200-O
STRING VENEER
Supplied in a roll with iron on adhesive.

Benchmark Pine



PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL


Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Benchmark - Technical Specifications

Post to Post Fixing



Benchmark Pine - Components

41mm Edwardian Spindles


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	ED90P	895 x 41 x 41	1
* PINE	ED110P	1100 x 41 x 41	1

41mm Fluted Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	FL90P	895 x 41 x 41	1
* PINE	FL110P	1100 x 41 x 41	1

41mm Provincial Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	PS90P	895 x 41 x 41	1
* PINE	PS110P	1100 x 41 x 41	1




41mm Barley Twist Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	BT90P	895 x 41 x 41	1
* PINE	BT110P	1100 x 41 x 41	1

41mm Quays Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ PINE	Q90P	895 x 41 x 41	1
△ PINE	Q110P	1100 x 41 x 41	1



41mm Stop Chamfered Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	ST9041P	895 x 41 x 41	1
* PINE	ST11041P	1100 x 41 x 41	1

41mm Blank Spindles


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	41BLK895P	895 x 41 x 41	1
* PINE	41BLK1100P	1100 x 41 x 41	1

41mm Double Reeded Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	DR9041P	895 x 41 x 41	1
* PINE	DR11041P	1100 x 41 x 41	1

32mm Colonial Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	CS90P	895 x 32 x 32	1



Benchmark Pine - Components

32mm Latvian Spindles


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	LT90P	895 x 32 x 32	1

32mm Stop Chamfered Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	ST90P	895 x 32 x 32	1
* PINE	ST11032P	1100 x 32 x 32	1

32mm Blank Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	32BLK895P	895 x 32 x 32	1
* PINE	32BLK1100P	1100 x 32 x 32	1




Ball Cap

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	CMC2P	132 x 85 x 85	1
* PINE	CMC2PHALF	132 x 85 x 40	1

Blister Packed

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	BCMC2P	132 x 85 x 85	1
* PINE	BCMC2PHALF	132 x 85 x 40	1




Acorn Cap

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	CMC3P	158 x 84 x 84	1
* PINE	CMC3PHALF	158 x 84 x 40	1

Blister Packed

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	BCMC3P	158 x 84 x 84	1
* PINE	BCMC3PHALF	158 x 84 x 40	1





Mushroom Cap

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	CMC1P	121 x 80 x 80	1
* PINE	CMC1PHALF	121 x 80 x 38	1



Low Profile Flat Cap

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	LNC P	110 x 110 x 29	1
* PINE	LNC PHALF	110 x 51 x 29	1



Pyramid Cap

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	FNCP	43 x 125 x 125	1
* PINE	FNC PHALF	43 x 125 x 57	1




Blister Packed

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	BFNCP	43 x 125 x 125	1
* PINE	BFNCPHALF	43 x 125 x 57	1

Benchmark Pine - Components




41mm Handrails

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	HR2.441P	2400 x 56 x 59	1
* PINE	HR3.641P	3600 x 56 x 59	1
* PINE	HR4.241P	4200 x 56 x 59	1







32mm Handrails

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	HR2.432P	2400 x 56 x 59	1
* PINE	HR3.632P	3600 x 56 x 59	1
* PINE	HR4.232P	4200 x 56 x 59	1






Low Profile Handrails

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	LHR2.441P	2400 x 41 x 62	1
* PINE	LHR4.241P	4200 x 41 x 62	1
* PINE	LHR2.432P	2400 x 41 x 62	1
* PINE	LHR4.232P	4200 x 41 x 62	1






41mm Baseraills

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	BR2.441P	2400 x 32 x 62	1
* PINE	BR3.641P	3600 x 32 x 62	1
* PINE	BR4.241P	4200 x 32 x 62	1





32mm Baseraills

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	BR2.432P	2400 x 32 x 62	1
* PINE	BR3.632P	3600 x 32 x 62	1
* PINE	BR4.232P	4200 x 32 x 62	1







41mm & 32mm Fillets

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE*	TM619	2400 x 9 x 41	1
* PINE*	TM639	2400 x 9 x 32	1



Newel Bases

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	CMB515P	515 x 91 x 91	1
* PINE	CMB615P	615 x 91 x 91	1
* PINE	CMB615PHALF	615 x 91 x 43	1
* PINE	CMD615P	615 x 91 x 91	1
* PINE	CMB700P	700 x 91 x 91	1
* PINE	CMB915P	915 x 91 x 91	1
* PINE	CMB1500P	1500 x 91 x 91	1
* PINE	CMB2000P	2000 x 91 x 91	1
* PINE	CMB2800P	2800 x 91 x 91	1




*Sold in bundles of 30.

Benchmark Pine - Components

One Piece Newels & Halves

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	OP180P	1500 x 91 x 91	1
* PINE	OP180PHALF	1500 x 91 x 43	1
* PINE	OP230P	1500 x 91 x 91	1
* PINE	OP230PHALF	1500 x 91 x 43	1



Patrice Newels & Halves

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	PT1500P	1500 x 91 x 91	1
* PINE	PT1500PHALF	1500 x 91 x 41	1
* PINE	PT850P	930 x 91 x 91	1

Double Reeded Newels & Halves




TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	DRPT1500P	1500 x 91 x 91	1
* PINE	DRPT1500PHALF	1500 x 91 x 41	1

Stop Chamfered Newels & Halves

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	ST1500P	1500 x 91 x 91	1
* PINE	ST1500PHALF	1500 x 91 x 41	1
* PINE	ST850P	850 x 91 x 91	1

Plain Newel Turnings


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	CMN180P	820 x 91 x 91	1
* PINE	CMN202P	595 x 91 x 91	1
* PINE	CMN230P	870 x 91 x 91	1
* PINE	CMN430P	870 x 91 x 91	1
* PINE	NTOP	779 x 78 x 78	1
* PINE	NTVP	1180 x 67 x 67	1



Benchmark Pine - Components


Fluted Newel Turnings

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	FL196P	820 x 91 x 91	1
* PINE	FL196PHALF	820 x 91 x 43	1
* PINE	FL202P	595 x 91 x 91	1
* PINE	FL430P	830 x 91 x 91	1



Barley Twist Newel Turnings

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	BT196P	845 x 91 x 91	1
* PINE	BT196PHALF	845 x 91 x 43	1
* PINE	BT202P	600 x 91 x 91	1
* PINE	BT430P	835 x 91 x 91	1



Accessories

PRODUCT DESCRIPTION	CODE	QTY.
Handrail Fixing Kit	NEWFIXKIT	1
Newel Wedge Splitter	WEDGE SPLITTER	1
Double-Ended Screw with Cover Button	DWL-SCREW	1



WEDGE SPLITTER
70 x 27mm



DWL-SCREW
DOWEL SCREW



NEWFIXKIT
HANDRAIL FIXING KIT

Cover Buttons

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	PCBP	28 x 28 x 11	1



PCB
COVER BUTTON



LQT11
LEVEL QUARTERTURN




LQC20
LEVEL QUARTERTURN
WITH CAP

Level Quarter Turn

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	LQT11P	175 x 175 x 56	1

Level Quarter Turn Cap

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	LQC20P	185 x 185 x 57	1



TC20
TANDEM CAP



OC10
OPENING CAP

Tandem Cap

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TC20P	230 x 85 x 56	1

Opening Cap

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	OC10P	160 x 85 x 56	1

Benchmark Pine - Components

32mm & 41mm Up Easing

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	VE1232P	230 x 80 x 56	1
* PINE	VE1241P	230 x 80 x 56	1

32mm & 41mm 90° Up Easing

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	UE1432P	175 x 75 x 56	1
* PINE	UE1441P	175 x 75 x 56	1

32mm & 41mm Over Easing

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	OE1332P	225 x 80 x 56	1
* PINE	OE1341P	225 x 80 x 56	1

VE1232
UP EASINGVE1241
UP EASINGUE1232
90° UP EASINGUE1241
90° UP EASING


Low Profile Handrail Fittings

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	LLQT11P	-	1
* PINE	LOE1332P	-	1
* PINE	LOE1341P	-	1
* PINE	LUE1232P	-	1
* PINE	LUE1241P	-	1

OE1332
OVER EASINGOE1341
OVER EASINGLLQT11P
LEVEL QUARTER TURNLOE1332/41
OVER EASINGLUE1232/41
UP EASING

32mm & 41mm Goose Necks

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	GF9832P	590 x 202 x 57	1
* PINE	GF9841P	590 x 202 x 57	1

GF9832
GOOSE NECK - VERTICAL TURNGF9841
GOOSE NECK - VERTICAL TURNV30LH
LEFT HAND VOLUTE
INC. UP EASINGV30RH
RIGHT HAND VOLUTE
INC. UP EASING

Left & Right Hand Volute inc. Up Easing

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	V30LHP	240 x 200 x 57	1
* PINE	V30RHP	240 x 200 x 57	1

Stairklad

Transform your staircase

This fully finished oak veneer stair flooring will transform your staircase into a stylish centrepiece for your home. It's pre-finished, making it durable and easy to install as it simply glues to your existing staircase.

Easy to install

Lacquered

Real oak veneer

Rounded front nosing

Benchmark Hemlock



PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Benchmark Hemlock - Components

41mm Edwardian Spindles


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• HEMLOCK	ED90H	895 x 41 x 41	1
• HEMLOCK	ED110H	1100 x 41 x 41	1

41mm Stop Chamfered Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• HEMLOCK	ST9041H	895 x 41 x 41	1
• HEMLOCK	ST11041H	1100 x 41 x 41	1


41mm Blank Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• HEMLOCK	41BLK895H	895 x 41 x 41	1
• HEMLOCK	41BLK1100H	1100 x 41 x 41	1




41mm Handrails

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• HEMLOCK	HR2.441H	2400 x 56 x 59	1
• HEMLOCK	HR3.641H	3600 x 56 x 59	1
• HEMLOCK	HR4.241H	4200 x 56 x 59	1



41mm Baserails

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• HEMLOCK	BR2.441H	2400 x 32 x 62	1
• HEMLOCK	BR3.641H	3600 x 32 x 62	1
• HEMLOCK	BR4.241H	4200 x 32 x 62	1



Level Quarter Turn

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
HEMLOCK	LQT11H	175 x 175 x 56	1



41mm Up Easing

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• HEMLOCK	VE1241H	230 x 80 x 56	1



41mm 90° Up Easing

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• HEMLOCK	UE1441H	175 x 75 x 56	1

41mm Over Easing

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• HEMLOCK	OE1341H	225 x 80 x 56	1

41mm Goose Necks

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
HEMLOCK	GF9841H	590 x 202 x 57	1

Benchmark Hemlock - Components

One Piece Newels & Halves

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• HEMLOCK	OP196H	1500 x 91 x 91	1
• HEMLOCK	OP196HHALF	1500 x 91 x 43	1

Patrice Newels & Halves



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• HEMLOCK	PT1500H	1500 x 91 x 91	1
• HEMLOCK	PT1500HHALF	1500 x 91 x 41	1
• HEMLOCK	PT850H	930 x 91 x 91	1

Stop Chamfered Newels & Halves

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• HEMLOCK	ST1500H	1500 x 91 x 91	1
• HEMLOCK	ST1500HHALF	1500 x 91 x 41	1
• HEMLOCK	ST850H	850 x 91 x 91	1

Newel Bases

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• HEMLOCK	CMB615H	615 x 91 x 91	1
• HEMLOCK	CMB915H	915 x 91 x 91	1
• HEMLOCK	CMB1500H	1500 x 91 x 91	1



Accessories

PRODUCT DESCRIPTION	CODE	QTY.
Handrail Fixing Kit	NEWFIXKIT	1
Newel Wedge Splitter	WEDGE SPLITTER	1
Double-Ended Screw with Cover Button	DWL-SCREW	1



WEDGE SPLITTER
WEDGE SPLITTER
70 x 27mm




DWL-SCREW
DOWEL SCREW



NEWFIXKIT
HANDRAIL FIXING KIT

Ball Cap

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• HEMLOCK	CMC2H	132 x 85 x 85	1
• HEMLOCK	CMC2HHALF	132 x 85 x 40	1



Pyramid Cap

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• HEMLOCK	FNCH	43 x 125 x 125	1
• HEMLOCK	FNCHHALF	43 x 125 x 57	1



Benchmark Oak



PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Benchmark Oak - Components

41mm Edwardian Spindles


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ OAK	ED900	895 x 41 x 41	1
△ OAK	ED1100	1100 x 41 x 41	1

41mm Provincial Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ OAK	PS900	895 x 41 x 41	1
△ OAK	PS1100	1100 x 41 x 41	1

41mm Barley Twist Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ OAK	BT900	895 x 41 x 41	1
△ OAK	BT1100	1100 x 41 x 41	1



41mm Quays Spindles


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ OAK	Q900	895 x 41 x 41	1
△ OAK	Q1100	1100 x 41 x 41	1

41mm Stop Chamfered Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ OAK	ST90410	895 x 41 x 41	1
△ OAK	ST110410	1100 x 41 x 41	1

41mm Blank Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ OAK	41BLK8950	895 x 41 x 41	1
△ OAK	41BLK11000	1100 x 41 x 41	1



41mm Double Reeded Spindles


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ OAK	DR90410	895 x 41 x 41	1
△ OAK	DR110410	1100 x 41 x 41	1

32mm Stop Chamfered Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ OAK	ST900	895 x 32 x 32	1
△ OAK	ST110320	1100 x 32 x 32	1

32mm Blank Spindles


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ OAK	32BLK8950	895 x 32 x 32	1
△ OAK	32BLK11000	1100 x 32 x 32	1



Benchmark Oak - Components


Plain Newel Turnings

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ OAK	CMN196O	820 x 91 x 91	1
△ OAK	CMN196OHALF	820 x 91 x 43	1
△ OAK	CMN202O	595 x 91 x 91	1
△ OAK	CMN430O	870 x 91 x 91	1
△ OAK	NTOO	779 x 78 x 78	1
△ OAK	NTVO	1180 x 67 x 67	1




Barley Twist Newel Turnings

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ OAK	BT196O	845 x 91 x 91	1
△ OAK	BT196OHALF	845 x 91 x 43	1
△ OAK	BT202O	600 x 91 x 91	1
△ OAK	BT430O	835 x 91 x 91	1
△ OAK	BTNTOO	779 x 78 x 78	1
△ OAK	BTNTVO	1180 x 67 x 67	1



One Piece Newels

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ OAK	OP196O	1500 x 91 x 91	1




Patrice Newels & Halves

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ OAK	PT1500O	1500 x 91 x 91	1
△ OAK	PT1500OHALF	1500 x 91 x 41	1
△ OAK	PT850O	930 x 91 x 91	1

Double Reeded Newels & Halves

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ OAK	DRPT1500O	1500 x 91 x 91	1
△ OAK	DRPT1500OHALF	1500 x 91 x 41	1
△ OAK	DR850O	930 x 91 x 91	1
△ OAK	DRQ880O	960 x 91 x 41	1






Stop Chamfered Newels & Halves

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ OAK	ST1500O	1500 x 91 x 91	1
△ OAK	ST1500OHALF	1500 x 91 x 41	1
△ OAK	ST850O	850 x 91 x 91	1

Benchmark Oak - Components




41mm Handrails

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	HR2.4410	2400 x 56 x 59	1
OAK	HR3.6410	3600 x 56 x 59	1
OAK	HR4.2410	4200 x 56 x 59	1






32mm Handrails

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	HR2.4320	2400 x 56 x 59	1
OAK	HR3.6320	3600 x 56 x 59	1
OAK	HR4.2320	4200 x 56 x 59	1





41mm Baseraills

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	BR2.4410	2400 x 32 x 62	1
OAK	BR3.6410	3600 x 32 x 62	1
OAK	BR4.2410	4200 x 32 x 62	1




32mm Baseraills

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	BR2.4320	2400 x 32 x 62	1
OAK	BR4.2320	4200 x 32 x 62	1




41mm Fillets

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	FT410	2400 x 9 x 41	1



Newel Bases

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
Δ OAK	CMB6150	615 x 91 x 91	1
Δ OAK	CMB6150HALF	615 x 91 x 43	1
Δ OAK	CMB9150	915 x 91 x 91	1
Δ OAK	CMB15000	1500 x 91 x 91	1
Δ OAK	CMB20000	2000 x 91 x 91	1
Δ OAK	CMB28000	2800 x 91 x 91	1



Ball Cap

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
Δ OAK	CMC20	132 x 85 x 85	1
Δ OAK	CMC20HALF	132 x 85 x 40	1

Blister Packed

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
Δ OAK	BCMC20	132 x 85 x 85	1
Δ OAK	BCMC20HALF	132 x 85 x 40	1



Pyramid Cap

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
Δ OAK	FNCO	43 x 125 x 125	1
Δ OAK	FNCOHALF	43 x 125 x 57	1

Blister Packed

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
Δ OAK	BFNCO	43 x 125 x 125	1
Δ OAK	BFNCOHALF	43 x 125 x 57	1



Benchmark Oak - Components

Low Profile Flat Cap

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ OAK	LNCO	110 x 110 x 29	1
△ OAK	LNCOHALF	110 x 51 x 29	1




Accessories

PRODUCT DESCRIPTION	CODE	QTY.
Handrail Fixing Kit	NEWFIXKIT	1
Newel Wedge Splitter	WEDGE SPLITTER	1
Double-Ended Screw with Cover Button	DWL-SCREW	1



Cover Buttons

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	CBO	28 x 28 x 11	1




Level Quarter Turn

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	LQT110	175 x 175 x 56	1

Level Quarter Turn Cap

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	LQC200	185 x 185 x 57	1



Tandem Cap

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	TC200	230 x 85 x 56	1

Opening Cap

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	OC100	160 x 85 x 56	1



32mm & 41mm Up Easing


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	VE12320	230 x 80 x 56	1
OAK	VE12410	230 x 80 x 56	1

32mm & 41mm 90° Up Easing

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	UE14320	175 x 75 x 56	1
OAK	UE14410	175 x 75 x 56	1

32mm & 41mm Over Easing

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	OE13320	225 x 80 x 56	1
OAK	OE13410	225 x 80 x 56	1




32mm & 41mm Goose Necks

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	GF98320	590 x 202 x 57	1
OAK	GF98410	590 x 202 x 57	1



Left & Right Hand Volute inc. Up Easing

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	V30LHO	240 x 200 x 57	1
OAK	V30RHO	240 x 200 x 57	1



Benchmark Twist



PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk


Benchmark Twist - Components

41mm Twist Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	TW90410	895 x 41 x 41	1
OAK	TW110410	1100 x 41 x 41	1


Patrice Newels & Halves

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ OAK	PT15000	1500 x 91 x 91	1
△ OAK	PT15000HALF	1500 x 91 x 41	1
△ OAK	PT8500	930 x 91 x 91	1




41mm Handrails

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	HR2.4410	2400 x 56 x 59	1
OAK	HR3.6410	3600 x 56 x 59	1
OAK	HR4.2410	4200 x 56 x 59	1



41mm Baserails

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	BR2.4410	2400 x 32 x 62	1
OAK	BR3.6410	3600 x 32 x 62	1
OAK	BR4.2410	4200 x 32 x 62	1



Benchmark Twist can be used with additional Benchmark Oak Stairparts. See pages 43-47 for further details.

Stairklad

Transform your staircase

This fully finished oak veneer stair flooring will transform your staircase into a stylish centrepiece for your home. It's pre-finished, making it durable and easy to install as it simply glues to your existing staircase.

Easy to install

Lacquered

Real oak veneer

Rounded front nosing

Benchmark White Primed



PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Benchmark White Primed - Components

41mm Edwardian Spindles


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
WHITE PRIMED	ED90W	895 x 41 x 41	1
WHITE PRIMED	ED110W	1100 x 41 x 41	1

41mm Stop Chamfered Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
WHITE PRIMED	ST9041W	895 x 41 x 41	1
WHITE PRIMED	ST11041W	1100 x 41 x 41	1

41mm Blank Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ WHITE PRIMED	41BLK895W	895 x 41 x 41	1
△ WHITE PRIMED	41BLK1100W	1100 x 41 x 41	1




32mm Stop Chamfered Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ WHITE PRIMED	ST90W	895 x 32 x 32	1
△ WHITE PRIMED	ST11032W	1100 x 32 x 32	1

32mm Blank Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ WHITE PRIMED	32BLK895W	895 x 32 x 32	1
△ WHITE PRIMED	32BLK1100W	1100 x 32 x 32	1




One Piece Newels & Halves

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ WHITE PRIMED	OP196W	1500 x 91 x 91	1
△ WHITE PRIMED	OP196WHALF	1500 x 91 x 43	1

Patrice Newels & Halves

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
WHITE PRIMED	PT1500W	1500 x 91 x 91	1
WHITE PRIMED	PT1500WHALF	1500 x 91 x 41	1
WHITE PRIMED	PT850W	930 x 91 x 91	1




Benchmark White Primed - Components

Stop Chamfered Newels & Halves

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ WHITE PRIMED	ST1500W	1500 x 91 x 91	1
△ WHITE PRIMED	ST1500W HALF	1500 x 91 x 41	1
WHITE PRIMED	ST850W	850 x 91 x 91	1


Newel Bases

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
WHITE PRIMED	CMB615W	615 x 91 x 91	1
WHITE PRIMED	CMB915W	915 x 91 x 91	1
WHITE PRIMED	CMB1500W	1500 x 91 x 91	1




Plain Newel Turnings

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
WHITE PRIMED	CMN196W	820 x 91 x 91	1
WHITE PRIMED	CMN202W	595 x 91 x 91	1
WHITE PRIMED	CMN430W	870 x 91 x 91	1




41mm Handrails

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
WHITE PRIMED	HR2.441W	2400 x 56 x 59	1
WHITE PRIMED	HR3.641W	3600 x 56 x 59	1
WHITE PRIMED	HR4.241W	4200 x 56 x 59	1




32mm Handrails

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
WHITE PRIMED	HR2.432W	2400 x 56 x 59	1
WHITE PRIMED	HR4.232W	4200 x 56 x 59	1




41mm Baserails

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
WHITE PRIMED	BR2.441W	2400 x 32 x 62	1
WHITE PRIMED	BR3.641W	3600 x 32 x 62	1
WHITE PRIMED	BR4.241W	4200 x 32 x 62	1



32mm Baserails

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
WHITE PRIMED	BR2.432W	2400 x 32 x 62	1
WHITE PRIMED	BR4.232W	4200 x 32 x 62	1



Benchmark White Primed - Components

Accessories

PRODUCT DESCRIPTION	CODE	QTY.
Handrail Fitting Kit	NEWFIXKIT	1
Newel Wedge Splitter	WEDGE SPLITTER	1
Double-Ended Screw with Cover Button	DWL-SCREW	1




Ball Cap

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
WHITE PRIMED	CMC2W	132 x 85 x 85	1
WHITE PRIMED	CMC2WHALF	132 x 85 x 40	1

Blister Packed

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
WHITE PRIMED	BCMC2W	132 x 85 x 85	1
WHITE PRIMED	BCMC2WHALF	132 x 85 x 40	1



Pyramid Cap

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
WHITE PRIMED	FNCW	43 x 125 x 125	1
WHITE PRIMED	FNCWHALF	43 x 125 x 57	1

Blister Packed

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
WHITE PRIMED	BFNCW	43 x 125 x 125	1
WHITE PRIMED	BFNCWHALF	43 x 125 x 57	1



Stairklad

Transform your staircase

This fully finished oak veneer stair flooring will transform your staircase into a stylish centrepiece for your home. It's pre-finished, making it durable and easy to install as it simply glues to your existing staircase.

Easy to install

Lacquered

Real oak veneer

Rounded front nosing

Doors

Our range of doors offer the perfect combination of quality, durability and design to enhance the look of your interior. With everything from the traditional design to our more contemporary ranges, our collection has something to suit every room.

56 - Modernus

A modern take on the classic oak door, that will enhance the décor in any home.

58 - Shaker

The perfect fit with any setting, traditional or modern, a stunning design with a natural oak grain.

60 - Abbotsfield

Perfect for modern and classic interiors, the subtle grooved panel is a popular design touch. Doors are available in Full Boarded, Glazed or a FD30 Fire Door.

62 - Cheshire

The Cheshire range of oak doors are traditionally designed to add a touch of class to any home.

64 - DX Panel

A modern update of a classic design with engineered construction for strength, consistency, and stability.

66 - Brindley

A three panel door that offers a contemporary feel with traditional style.

68 - Dorset

Simple stylish eye catching 7 panel design with chamfered groove. Denser core engineered for strength, consistency and stability.

69 - Budworth

6 vertical panel door constructed with Genuine A-Grade American White Oak veneer, lipping and mouldings.

70 - Redwood | Redwood Frame Ledged & Braced

A popular choice for privacy and entry to your Garden. Made from 100% quality European Redwood. Ready to be painted or stained to a colour of your choice.

DIRECT TO SITE DELIVERY

Our dedicated delivery service takes the hassle and stock holding out of doors.

Our 2 man direct to site or home service delivers every time.

To find out more call us on:

Freephone 0800 085 3475

* Fitting instructions must be followed and maintained.





We are proud
to offer a **10 year
manufacturing
warranty**
on doors.*



Beautiful oak products
with inspirational features

Modernus



Modernus

- > Sleek, modern design
- enhanced within the glazed range by the single clear glass panel
- > Real wood inserts for grooving
- > Genuine A-Grade American White Oak veneer, lipping and mouldings
- > Engineered construction for strength, consistency, and stability



Modernus 5 Panel Pre-Finished Oak Door

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Modernus - Range

Modernus 5 Panel Door Oak

CODE	SIZE (mm)	QTY.
MD610	1981 x 610 x 35	1
MD686	1981 x 686 x 35	1
MD762	1981 x 762 x 35	1
MD838	1981 x 838 x 35	1

Modernus 5 Panel Door Pre-Finished Oak

CODE	SIZE (mm)	QTY.
MD610PF	1981 x 610 x 35	1
MD686PF	1981 x 686 x 35	1
MD762PF	1981 x 762 x 35	1
MD838PF	1981 x 838 x 35	1

Modernus 5 Panel Fire Door Oak

CODE	SIZE (mm)	QTY.
MD76244F30	1981 x 762 x 44	1
MD83844F30	1981 x 838 x 44	1

Modernus 1 Light Clear Glazed Door Oak

CODE	SIZE (mm)	QTY.
MDGL610	1981 x 610 x 35	1
MDGL686	1981 x 686 x 35	1
MDGL762	1981 x 762 x 35	1
MDGL838	1981 x 838 x 35	1

Don't Forget!

Doors available in Full Boarded, Glazed or FD30 Fire Doors.

Visit us online for further information
www.cheshiremouldings.co.uk

Or call us on 0800 085 3475



Clear 4mm toughened safety glass.

A modern take on the classic oak door, that will enhance the décor in any home.



Genuine A-Grade American White Oak veneer, lipping and mouldings.

Shaker



Shaker

- > The recessed panelled design adds a contemporary style.
- > Solid core construction for a weighty feel
- > Genuine A-Grade American White Oak veneer, lipping and mouldings
- > Engineered construction for strength, consistency, and stability
- > Clear 4mm toughened safety glass



Shaker 4 Light Clear Glazed Oak Door

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Shaker - Range

Shaker 4 Panel Door
Oak

CODE	SIZE (mm)	QTY.
SH610	1981 x 610 x 35	1
SH686	1981 x 686 x 35	1
SH762	1981 x 762 x 35	1
SH838	1981 x 838 x 35	1

Shaker 4 Panel Fire Door
Oak

CODE	SIZE (mm)	QTY.
SH76244F30	1981 x 762 x 44	1
SH83844F30	1981 x 838 x 44	1

Shaker 4 Panel Light Clear
Glazed Door Oak

CODE	SIZE (mm)	QTY.
SHGL610	1981 x 610 x 35	1
SHGL686	1981 x 686 x 35	1
SHGL762	1981 x 762 x 35	1
SHGL838	1981 x 838 x 35	1

Shaker 4 Panel Door
White Primed

CODE	SIZE (mm)	QTY.
SH610PRIM	1981 x 610 x 35	1
SH686PRIM	1981 x 686 x 35	1
SH762PRIM	1981 x 762 x 35	1
SH838PRIM	1981 x 838 x 35	1

Shaker 4 Panel Fire Door
White Primed


CODE	SIZE (mm)	QTY.
SH76244F30PRIM	1981 x 762 x 44	1
SH83844F30PRIM	1981 x 838 x 44	1

Shaker 4 Panel Light Clear
Glazed Door White Primed

CODE	SIZE (mm)	QTY.
SHGL610PRIM	1981 x 610 x 35	1
SHGL686PRIM	1981 x 686 x 35	1
SHGL762PRIM	1981 x 762 x 35	1
SHGL838PRIM	1981 x 838 x 35	1



The perfect fit with any setting, traditional or modern, a stunning design with a natural oak grain.

**Don't Forget!**

Doors available in Full Boarded, Glazed or FD30 Fire Doors.

Abbotsfield



Abbotsfield

- > Simple eye catching design
- > Real wood inserts for grooving
- > Genuine A-Grade American White Oak veneer, lipping and mouldings
- > Engineered construction for strength, consistency, and stability
- > Bevelled clear glazed 4mm toughened safety glass



Abbotsfield Full Boarded Pre-Finished Oak Door

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Abbotsfield - Range

Abbotsfield Full Boarded Oak Door

CODE	SIZE (mm)	QTY.
MX610	1981 x 610 x 35	1
MX686	1981 x 686 x 35	1
MX762	1981 x 762 x 35	1
MX838	1981 x 838 x 35	1

Abbotsfield Full Boarded Pre-Finished Oak Door

CODE	SIZE (mm)	QTY.
MX610PF	1981 x 610 x 35	1
MX686PF	1981 x 686 x 35	1
MX762PF	1981 x 762 x 35	1
MX838PF	1981 x 838 x 35	1

Abbotsfield Full Boarded Oak Fire Door

CODE	SIZE (mm)	QTY.
MX76244F30	1981 x 762 x 44	1
MX83844F30	1981 x 838 x 44	1

Abbotsfield 6 Light Clear Bevel Glazed Oak Door

CODE	SIZE (mm)	QTY.
MXGL610	1981 x 610 x 35	1
MXGL686	1981 x 686 x 35	1
MXGL762	1981 x 762 x 35	1
MXGL838	1981 x 838 x 35	1

Abbotsfield Full Boarded Door White Primed

CODE	SIZE (mm)	QTY.
MX610PRIM	1981 x 610 x 35	1
MX686PRIM	1981 x 686 x 35	1
MX762PRIM	1981 x 762 x 35	1
MX838PRIM	1981 x 838 x 35	1

Abbotsfield Full Boarded Fire Door White Primed


CODE	SIZE (mm)	QTY.
MX76244F30PR	1981 x 762 x 44	1
MX83844F30PR	1981 x 838 x 44	1

Don't Forget!

Doors available in Full Boarded, Glazed or FD30 Fire Doors.



Perfect for modern and classic interiors, the subtle grooved panel is a popular design touch.



Cheshire



Cheshire

- > 4 recessed panels
- > Timeless & traditional style
- > Genuine A-Grade American White Oak veneer, lipping and mouldings
- > Engineered construction for strength, consistency, and stability
- > Opaque glazed 4mm toughened safety glass

Cheshire 2 Light Glazed Oak Door

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Cheshire - Range

Cheshire 4 Panel Door
Oak

CODE	SIZE (mm)	QTY.
C4P610	1981 x 610 x 35	1
C4P686	1981 x 686 x 35	1
C4P762	1981 x 762 x 35	1
C4P838	1981 x 838 x 35	1

Cheshire 4 Panel Door
Pre-Finished Oak

CODE	SIZE (mm)	QTY.
C4P610PF	1981 x 610 x 35	1
C4P686PF	1981 x 686 x 35	1
C4P762PF	1981 x 762 x 35	1
C4P838PF	1981 x 838 x 35	1

Cheshire 4 Panel Fire Door
Oak

CODE	SIZE (mm)	QTY.
C4P76244F30	1981 x 762 x 44	1
C4P83844F30	1981 x 838 x 44	1

Cheshire 2 Light Glazed Door
Oak

CODE	SIZE (mm)	QTY.
C2GL610	1981 x 610 x 35	1
C2GL686	1981 x 686 x 35	1
C2GL762	1981 x 762 x 35	1
C2GL838	1981 x 838 x 35	1

DIRECT TO SITE DELIVERY

Our dedicated delivery service takes the hassle and stock holding out of doors.

Our 2 man direct to site or home service delivers every time.

To find out more call us on:

Freephone 0800 085 3475

Don't Forget!

Doors available in Full Boarded, Glazed or FD30 Fire Doors.

Visit us online for further information
www.cheshiremouldings.co.uk

Or call us on 0800 085 3475



Opaque glazed 4mm toughened safety glass.

The Cheshire range of oak doors are traditionally designed to add a touch of class to any home.



DX Panel



DX Panel

- > A modern update of a classic design
- > Engineered construction for strength, consistency, and stability
- > Clear 4mm toughened safety glass



DX Panel Oak Door

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

DX Panel - Range

DX Panel Door Oak

CODE	SIZE (mm)	QTY.
DXC610	1981 x 610 x 35	1
DXC686	1981 x 686 x 35	1
DXC762	1981 x 762 x 35	1
DXC838	1981 x 838 x 35	1

DX Panel Fire Door Oak

CODE	SIZE (mm)	QTY.
DXC76244F30	1981 x 762 x 44	1
DXC83844F30	1981 x 838 x 44	1

DX Panel Glazed Door Oak

CODE	SIZE (mm)	QTY.
DXC762GL	1981 x 762 x 35	1

DX Panel Door
White Primed

CODE	SIZE (mm)	QTY.
DXC610PR	1981 x 610 x 35	1
DXC686PR	1981 x 686 x 35	1
DXC762PR	1981 x 762 x 35	1
DXC838PR	1981 x 838 x 35	1

DX Panel Fire Door
White Primed


CODE	SIZE (mm)	QTY.
DXC76244F30PR	1981 x 762 x 44	1
DXC83844F30PR	1981 x 838 x 44	1

DX Panel Glazed Door
White Primed

CODE	SIZE (mm)	QTY.
DXC762GLPR	1981 x 762 x 35	1



The perfect fit with any setting, traditional or modern, a stunning design with a natural oak grain.



Visit us online for further information
www.cheshiremouldings.co.uk

Or call us on 0800 085 3475

Brindley



Brindley

- > A contemporary feel with a traditional style
- > Genuine A-Grade American White Oak veneer, lipping and mouldings
- > Engineered construction for strength, consistency, and stability



Brindley 3 Panel Oak Door

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Brindley - Range

Brindley 3 Panel Oak Door

CODE	SIZE (mm)	QTY.
VT686	1981 x 686 x 35	1
VT762	1981 x 762 x 35	1
VT838	1981 x 838 x 35	1

Brindley 3 Panel Oak Fire Door

CODE	SIZE (mm)	QTY.
VT76244F30	1981 x 762 x 44	1
VT83844F30	1981 x 838 x 44	1

Brindley 3 Panel Door White Primed

CODE	SIZE (mm)	QTY.
VT686PRIM	1981 x 686 x 35	1
VT762PRIM	1981 x 762 x 35	1
VT838PRIM	1981 x 838 x 35	1

Brindley 3 Panel Fire Door White Primed

CODE	SIZE (mm)	QTY.
VT76244F30PRIM	1981 x 762 x 44	1
VT83844F30PRIM	1981 x 838 x 44	1



Contemporary vertical panelling.

Door Linings

- > Designed to work with our range of doors only
- > 2 year guarantee
- > Genuine engineered oak
- > Can be cut down to size to fit your door frame

Our door linings come in various sizes ensuring they will fit perfectly into your home and our doors are made with genuine engineered oak.

Our door linings match our doors keeping your doorways and rooms looking organised, stylish and sophisticated.

Engineered oak is made to last longer than solid oak, needing to be treated less and has less chance of warping.

Door Linings

CODE	SIZE (mm)	QTY.
DL0108	12 x 44 x 108 (2 x 2133 + 1x 1000 per pack)	1
DL0133	22 x 44 x 133 (2 x 2133 + 1x 1000 per pack)	1



Dorset - Range



Dorset

- > Simple stylish eye catching 7 panel design
- > Denser core engineered for strength, consistency and stability
- > Chamfered groove
- > Genuine A-Grade American White Oak veneer, lipping and mouldings

Dorset 7 Panel Oak Door

CODE	SIZE (mm)	QTY.
DR610	1981 x 610 x 35	1
DR686	1981 x 686 x 35	1
DR762	1981 x 762 x 35	1
DR838	1981 x 838 x 35	1

Dorset 7 Panel Oak Fire Door

CODE	SIZE (mm)	QTY.
DR76244F30	1981 x 762 x 44	1
DR83844F30	1981 x 838 x 44	1



PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Budworth - Range

Budworth

- > Sympathetically designed 6 vertical panel door
- > Chamfered grooving
- > Genuine A-Grade American White Oak veneer, lipping and mouldings
- > Denser core engineered for strength, consistency and stability

Budworth 6 Panel Oak Door

CODE	SIZE (mm)	QTY.
BD610	1981 x 610 x 35	1
BD686	1981 x 686 x 35	1
BD762	1981 x 762 x 35	1
BD838	1981 x 838 x 35	1

Budworth 6 Panel Oak Fire Door

CODE	SIZE (mm)	QTY.
BD76244F30	1981 x 762 x 44	1
BD83844F30	1981 x 838 x 44	1



PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Redwood Ledged & Braced - Range

Redwood Frame Ledged & Braced

- > External Tongue and grooved boarded door (Frame, ledged & braced)
- > Framed to add stability and allow for security lock fixings
- > A popular choice for privacy and entry to your garden.
- > Made from 100% quality European Redwood.
- > Ready to be painted or stained to a colour of your choice

Redwood Ledged & Braced

- > Ledge & braced construction provides strength and solidity to the gate.
- > Tongue and grooved boards.
- > A popular choice for privacy and entry to your garden.
- > Made from 100% quality European Redwood.
- > Ready to be painted or stained to a colour of your choice



Redwood Frame Ledged & Braced

CODE	SIZE (mm)	QTY.
23FLB	1981 x 686	1
26FLB	1981 x 762	1
28FLB	2032 x 813	1
29FLB	1981 x 838	1
30FLB	1981 x 915	1

Redwood Ledged & Braced

CODE	SIZE (mm)	QTY.
23LBE	1981 x 686	1
26LBE	1981 x 762	1
28LBE	2032 x 813	1
29LBE	1981 x 838	1
30LBE	1981 x 915	1



Visit us online for further information
www.cheshiremouldings.co.uk

Or call us on **0800 085 3475**

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk



Say hello to our latest flooring collections

From Laminate Flooring
to Solid Oak, turn overleaf
for more details.



Flooring

Flooring Collections - Which floor is best for your home?

Updating existing flooring is one of the quickest and easiest ways to give a room a new lease of life.

However, with the vast range of options out there, it can be intimidating trying to select the right one. Below is a breakdown of the differences between laminate, engineered oak and solid oak floorings to help you make the right choice.

74 - Chrome Laminate Flooring

Laminate is the most affordable option, and the most versatile. Due to the nature of the product, a greater variety of styles can be printed on the surface, making it easier for you to find the right style for your home. It's incredibly low maintenance and easy to take care of, all you'll need to do is sweep, vacuum and occasionally damp mop to keep it looking its best.

It's ideal for those who enjoy DIY or want to save additional money on installation, as the 2G/5G click installation is far easier.

80 - Manor Engineered Oak Flooring

Engineered Oak is a 3-layer 100% wood construction board, with a surface layer of genuine oak. This gives it the authentic style of true hardwood flooring, at a more affordable price. Most are easy to install yourself thanks to the 2G/5G installation.

5G installation can be up to 25% quicker than other systems - Herringbone styles may take longer. There are a wide range of oak colourings and styles to choose from, but all are sophisticated and stylish additions to your home.

92 - Solid Oak Flooring

Solid Oak Flooring is constructed from a solid piece of oak and is built to last. A true solid oak flooring is a genuine investment in your home and can last for generations if well maintained. The most expensive of the three types of flooring, but also the most attractive and long lasting.

Flooring Accessories

Flooring Accessories are all the little extras you need for the finishing touches to new flooring. Make sure to match the accessories to the flooring style.

94 - Underlay

95 - Trim





**Say hello
to our latest
flooring
collections**

Chrome Laminate Flooring - Overview

Our range of European laminate flooring uses a high density fibreboard with a 5G click system which gives the look of a modern wood effect floor thanks to a high quality image layer. This is suitable for underfloor heating. (The 6mm and 7mm are only suitable for underfloor water based heating).



CF109 Zermatt Oak

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Chrome Laminate Flooring - Overview



5G Clic-System

Installing a laminate floor becomes child's play.

A fingertip is enough to join panels - simply unpack, lay, snap together and done!

No effort involved - your hammer and block can stay in the toolbox.



- > Much easier to install
- > Up to 50% quicker to install
- > No hammer, tapping block and pulling bar required
- > Safe and stable
- > You can walk on the floor immediately after installation

Chrome Laminate Flooring - 7mm



CF104 Century Oak Grey

CF103 Summer Oak Nature



2.39m² per pack



WIDTH
193mm



THICKNESS
7mm



LENGTH
1380mm



Wear Grade
Rating



All Over
Structure




Locking
System



20 YEARS
Private Use
Warranty

CF104 Century Oak Grey



2.39m² per pack



WIDTH
193mm



THICKNESS
7mm



LENGTH
1380mm



Wear Grade
Rating



All Over
Structure



Locking
System



20 YEARS
Private Use
Warranty

Order Your 3 Free Samples

Choose free samples of any Chrome Laminate, Manor Engineered Oak or Solid Oak flooring with 48 hr delivery

Call us to order
0800 085 3475

Visit us online
for further information
www.cheshiremouldings.co.uk



Chrome Laminate Flooring - 8mm



CF106 Davos Oak

CF106 Davos Oak

2.13m² per pack

CF107 Arosa Oak

2.13m² per pack

WIDTH
193mm



THICKNESS
8mm



LENGTH
1380mm



Wear Grade
Rating



Synchronised
Wood Structure



Locking
System



Private Use
Warranty



WIDTH
193mm



THICKNESS
8mm



LENGTH
1380mm



Wear Grade
Rating



Synchronised
Wood Structure




Locking
System



Private Use
Warranty

Chrome Laminate Flooring - 8mm

CF108 Leysin Oak




CF111 Zinal Oak



CF109 Zermatt Oak



CF112 Allalin



CF110 Hufi Oak



Order Your 3 Free Samples

Choose free samples of any Chrome Laminate, Manor Engineered Oak or Solid Oak flooring with 48 hr delivery

Call us to order
0800 085 3475

Visit us online
for further information
www.cheshiremouldings.co.uk

Chrome Laminate Flooring - 12mm

12mm

CF113 Santiago Oak



1.33m² per pack



WIDTH
193mm



THICKNESS
12mm



LENGTH
1380mm



Wear Grade
Rating



All Over
Structure



Locking
System



Private Use
Warranty

CF114 Walnut Rubio



1.33m² per pack



WIDTH
193mm



THICKNESS
12mm



LENGTH
1380mm



Wear Grade
Rating



All Over
Structure



Locking
System



Private Use
Warranty

CF115 New York Oak



1.33m² per pack



WIDTH
193mm



THICKNESS
12mm



LENGTH
1380mm



Wear Grade
Rating



All Over
Structure



Locking
System



Private Use
Warranty

CF115 New York Oak

Manor Engineered Oak Flooring - Overview

Our engineered oak flooring has a real wood layer board construction which gives the end user a strong, durable floor which looks great and is easy to fit. Manor Engineered Oak flooring also includes a 4 sided v-groove and is a suitable solution for underfloor heating.



CF106 Davos Oak

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Manor Engineered Oak Flooring - Overview



Fit it yourself!

The 5G Barlock system is fast – assembly is 25% faster!

It's easy to dismantle and lay again so there's no need to be a specialist!



100% Wood



Stable construction

The flooring is not one board, but three layers of real wood arranged in a modern cross construction.



Manor Engineered Oak Flooring - Range




Order Your 3 Free Samples

Choose free samples of any Chrome Laminate, Manor Engineered Oak or Solid Oak flooring with 48 hr delivery

Call us to order
0800 085 3475

Visit us online
for further information
www.cheshiremouldings.co.uk



FL02 Natural Oak 1 Strip Matt Lacquer

Manor Engineered Oak Flooring - Range



FL01 Rustic Oak 3 Strip Standard



WIDTH
180mm



THICKNESS
14mm



LENGTH
2200mm



3
mm
Wear
Layer



Lacquered



Locking
System



15
YEARS
Warranty

FL02 Natural Oak 1 Strip Matt Lacquer



WIDTH
130mm



THICKNESS
14mm



LENGTH
2200mm



3
mm
Wear
Layer



Matt
Lacquered



Locking
System



15
YEARS
Warranty

FL03 Natural Oak 1 Strip Matt Lacquer



WIDTH
180mm



THICKNESS
14mm



LENGTH
2200mm



3
mm
Wear
Layer



Matt
Lacquered



Locking
System



15
YEARS
Warranty

Manor Engineered Oak Flooring - Range



FL08 Grey Mist Oak Strip Matt Lacquer

FL04 Caramel Oak 1 Strip Matt Lacquer



2.00m² per pack

FL05 Antique Oak 1 Strip Matt Lacquer



1.37m² per pack



WIDTH
130mm



THICKNESS
14mm



LENGTH
2200mm



Wear Layer



Matt Lacquered



Locking System



Warranty



WIDTH
180mm



THICKNESS
14mm



LENGTH
1092mm



Wear Layer



Matt Lacquered




Locking System



Warranty

Manor Engineered Oak Flooring - Range

FL06 Sandy Oak 1 Strip Matt Lacquer



WIDTH
180mm



THICKNESS
14mm



LENGTH
2200mm



3 mm
Wear Layer



Matt Lacquered



Locking System



15 YEARS
Warranty

FL09 Oak Brownie Family Matt Lacquer



WIDTH
180mm



THICKNESS
14mm



LENGTH
2200mm



3 mm
Wear Layer



Matt Lacquered




Locking System



15 YEARS
Warranty

FL07 Cashmere Oak 1 Strip Matt Lacquer



WIDTH
180mm



THICKNESS
14mm



LENGTH
2200mm



3 mm
Wear Layer



Matt Lacquered



Locking System



15 YEARS
Warranty

FL10 Oak Delight Various Matt Lacquer



WIDTH
207mm



THICKNESS
14mm



LENGTH
2200mm



3 mm
Wear Layer



Matt Lacquered



Locking System



15 YEARS
Warranty

FL08 Grey Mist Oak Strip Matt Lacquer



WIDTH
180mm



THICKNESS
14mm



LENGTH
2200mm



3 mm
Wear Layer



Matt Lacquered



Locking System



15 YEARS
Warranty

FL11 Oak Touch Various Matt Lacquer



WIDTH
207mm



THICKNESS
14mm



LENGTH
2200mm



3 mm
Wear Layer



Matt Lacquered



Locking System



15 YEARS
Warranty

Manor Engineered Oak Flooring - Range

FL12 Oak 1 Strip Grey Mist Matt Lacquer



2.38m² per pack



WIDTH
155mm



THICKNESS
14mm



LENGTH
2200mm



3 mm
Wear Layer



Matt Lacquered



Locking System



15 YEARS
Warranty

FL14 Oak 1 Strip Brushed Matt Lacquer



2.77m² per pack



WIDTH
180mm



THICKNESS
14mm



LENGTH
2200mm



3 mm
Wear Layer



Brushed Matt Lacquer



Locking System



15 YEARS
Warranty

FL15 Oak 1 Strip Brushed & Oiled Natural



2.77m² per pack



WIDTH
180mm



THICKNESS
14mm



LENGTH
2200mm



3 mm
Wear Layer



Brushed & Oiled



Locking System



15 YEARS
Warranty



Manor Engineered Oak Flooring - Range



FL15 Oak 1 Strip Brushed & Oiled Natural

Manor Engineered Oak Flooring - Range




Herringbone

FL16 Herringbone Toffee Oak Matt Lacquer

Manor Engineered Oak Flooring - Range



FL16 Herringbone Toffee Oak Matt Lacquer



WIDTH
130mm



THICKNESS
14mm



LENGTH
725mm



3 mm
Wear Layer



Matt Lacquered



Locking System



20 YEARS
Warranty

FL17 Herringbone Grey Mist Oak Matt Lacquer



WIDTH
130mm



THICKNESS
14mm



LENGTH
725mm



3 mm
Wear Layer



Matt Lacquered




Locking System



20 YEARS
Warranty

FL18 Herringbone Caramel Oak Matt Lacquer



WIDTH
130mm



THICKNESS
14mm



LENGTH
725mm



3 mm
Wear Layer



Matt Lacquered



Locking System



20 YEARS
Warranty

Manor Engineered Oak Flooring - Range

Tongue and Grooved



-210B0 Rustic Oak Engineered Brushed & Oiled

Manor Engineered Oak Flooring - Range



FR189-210B0 Rustic Oak Engineered Brushed & Oiled



189 x 21 x 1900 mm



WIDTH
189mm



THICKNESS
21mm



LENGTH
1900mm



**Brushed
& Oiled**




**Locking
System**

Order Your 3 Free Samples

Choose free samples of any Chrome Laminate, Manor Engineered Oak or Solid Oak flooring with 48 hr delivery

Call us to order
0800 085 3475

Visit us online
for further information
www.cheshiremouldings.co.uk



Solid Oak Flooring - Overview

Our range of Solid Oak flooring are made using professionally graded solid timber pieces cut to various lengths. They are strong and durable and have a genuine natural finish and touch.



FR125-18UV0 Rustic Grade Oak UV Lacquered

Solid Oak Flooring - Range

FR125-180B0 Rustic Grade Oak Brushed & Oiled



2.20m² per pack



WIDTH
125mm



THICKNESS
18mm



LENGTH
Various



Brushed
& Oiled



Locking
System

FR125-18UV0 Rustic Grade Oak UV Lacquered



2.20m² per pack



WIDTH
125mm



THICKNESS
18mm



LENGTH
Various



Lacquered




Locking
System

Order Your 3 Free Samples

Choose free samples of any Chrome Laminate, Manor Engineered Oak or Solid Oak flooring with 48 hr delivery

Call us to order
0800 085 3475

Visit us online
for further information
www.cheshiremouldings.co.uk



Flooring Accessories - Underlay

CU05AS

SELITAC 5mm AquaStop

Offering the same premium benefits of the SELITAC 5mm with an added integrated vapour barrier, the SELITAC 5mm AquaStop is ideal for use in rooms above showers, washing rooms, or where there is known damp.



5mm - 5m²

CU22

SELITAC 2.2mm

Before you lay your new laminate or hardwood flooring, make sure you have installed a quality underlay. This underlay is perfect for those who prefer to DIY, as the easy lay, easy click and easy cut system removes the frustration of installing normal underlay.



2.2mm - 15m²



FL07 Cashmere Oak 1 Strip Matt Lacquer

Flooring Accesories - Trim

CAH3021 Solid Oak Threshold Strip for 18mm Flooring

This solid oak threshold strip, constructed with genuine European oak, is a gorgeous and useful addition to your current oak flooring interior.



CAH3041 Solid Oak L Section for 18mm Flooring

This solid oak L-Section is perfect for when you need to disguise and seamlessly blend the gaps between flooring levels while retaining the natural grains and markings of your current oak flooring.



CAH3023 Solid Oak Threshold Strip for 18mm Flooring

A solid oak threshold strip to keep your interior design consistently elegant. Suitable for use with 18mm thick solid oak flooring.



CAH3031 Solid Oak Ramp Strip for 18mm Flooring

Perfect for softening the transition between two different levels of flooring, this solid oak ramp strip adds elegance and the finishing touches to any room.



Decking

Decking Components

Our decking ranges were made to perfectly complement your garden and outdoor spaces. In tune with the changing of the seasons our products are designed in a variety of styles and finishes to always look their best and be enjoyed throughout the year.

Cheshire Mouldings decking balustrades are manufactured to the highest quality and all materials used come from sustainable sources. All products are hardwearing and able to face up to even the most traditional of British summers.

98 - Core Deck Softwood Stop Chamfered

The robust nature of our stop chamfered range means that it can take everything that our weather throws its way and still look great.

99 - Core Deck Softwood Square

100 - Core Deck Softwood Turned

Your garden may change with the seasons but our turned decking range remains a timeless classic. It's one of our most versatile designs and works beautifully in gardens of all shapes and sizes.

102 - American Range

Recalling the simple utility and rustic appeal of nineteenth century Shaker style, this range is intended to be functional yet still achieves an effortless beauty.

103 - Clear Deck

Clear Deck blends the natural warmth of quality timber with dazzling glass balusters for a deck that blends traditional and modern.

104 - Modern Deck

A low maintenance aluminium extrusion balustrade system boasts zinc brackets and a hardwearing powder coated exterior for an ultra-modern, sleek finish.

105 - Iron Deck Bow & Eden

These eye-catching balusters are the perfect way to customise your decking project. Their elegant curves give substance to your balustrade just as the jet-black finish brings style to your garden.

106 - Iron Deck Tuscany - Arc Black Baluster

107 - Iron Deck Traditional - Black Baluster





Core Deck Softwood - Stop Chamfered




Core Deck Softwood Stop Chamfered

The robust nature of our stop chamfered range means that it can take everything that our weather throws its way and still look great.

Handrails & Baseraills

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
TREATED PINE	DHU18	1800 x 68 x 44	1
TREATED PINE	DHU24	2400 x 68 x 44	1
TREATED PINE	DHNEW1.8	1800 x 63 x 28	1
TREATED PINE	DHNEW2.4	2400 x 63 x 28	1




Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
▲ TREATED PINE	DEDST9041P	895 x 41 x 41	1

Newel Posts

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
TREATED PINE	DEP12STCH	1250 x 82 x 82	1
TREATED PINE	DEP15STCH	1500 x 82 x 82	1
TREATED PINE	DEP12CB	1250 x 82 x 82	1
TREATED PINE	DEP15CB	1500 x 82 x 82	1
TREATED PINE	DEP24CB	2400 x 82 x 82	1



Core Deck Softwood - Square




Core Deck Softwood Square

For those looking for the purest counterpoint to their garden, our square range is the perfect choice.

Handrails & Baserails

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
TREATED PINE	DHU18	1800 x 68 x 44	1
TREATED PINE	DHU24	2400 x 68 x 44	1
TREATED PINE	DHNEW1.8	1800 x 63 x 28	1
TREATED PINE	DHNEW2.4	2400 x 63 x 28	1




Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ TREATED PINE	41PBTR	895 x 41 x 41	1
★ TREATED PINE	41PBTR1100	1100 x 41 x 41	1

Newel Posts

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
TREATED PINE	DEP12BLANK	1250 x 82 x 82	1



Core Deck Softwood - Turned



Core Deck Softwood Turned

Your garden may change with the seasons but our turned decking range remains a timeless classic. It's one of our most versatile designs and works beautifully in gardens of all shapes and sizes.

Handrails & Baserails


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
TREATED PINE	DHU18	1800 x 68 x 44	1
TREATED PINE	DHU24	2400 x 68 x 44	1
TREATED PINE	DHNEW1.8	1800 x 63 x 28	1
TREATED PINE	DHNEW2.4	2400 x 63 x 28	1

Spindles

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
TREATED PINE	DED90	900 x 41 x 41	1

Newel Posts


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ TREATED PINE	DEP12CAP	1250 x 82 x 82	1
TREATED PINE	DEP15CAP	1500 x 82 x 82	1




Core Deck Softwood - Range

Deck Panels

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
TREATED PINE	DESUN	1130 x 760 x 38	1
TREATED PINE	DEHAT	1135 x 760 x 38	1




DESUN
SUNBURST DECKING PANEL
1130 x 760 x 38mm




DEHAT
CROSS HATCH DECKING PANEL
1130 x 760 x 38mm

Caps

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* TREATED PINE	DEB	132 x 85 x 85	1
* TREATED PINE	DEAC	132 x 84 x 84	1
* TREATED PINE	DEPTC	27 x 115 x 115	1
* TREATED PINE	DQBSC	77 x 77 x 93	1
* TREATED PINE	DEBSC	77 x 77 x 128	1



DEB
DECK BALL CAP




DEAC
DECK ACORN CAP



DEPTC
DECK PATRICE CAP




DQBSC
DECK BALL CAP
SQUARED



DEBSC
DECK BALL CAP


Tread Strings

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
TREATED PINE	D53	1130 x 760 x 38	1
TREATED PINE	D55	1135 x 760 x 38	1



Fixings

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
ZINC STEEL	DECKIT	-	1



DECKIT
TWIST FIXING BRACKET

American Range - Range



American Range

Recalling the simple utility and rustic appeal of nineteenth century Shaker style, this range is intended to be functional yet still achieves an effortless beauty.

American Range


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
★ TREATED PINE	DCMR	1795 x 35 x 88	1
TREATED PINE	DECAM	27 x 27 x 895	1
TREATED PINE	DEP12CB	1250 x 82 x 82	1
ABS	DCVRB	97 x 62 x 12	1 Pair
★ TREATED PINE	DCAP18	1750 x 80 x 26	1




DCVRB
RAIL FIXING BRACKETS




DCMR
METAL BALUSTER PINE RAIL
85 x 35 x 1795mm



DCAP18
CLEARVIEW CAPPING RAIL
26 x 80 x 1750mm



DECAM
AMERICAN SPINDLE
27 x 27 x 895mm



DEP12CB
DECK POST CHAMFERED & BEADED
1250 x 82 x 82mm

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Clear Deck - Range







Clear Deck

Clear Deck blends the natural warmth of quality timber with dazzling glass balusters for a deck that blends traditional and modern.

Clear Deck

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
TREATED PINE	DCLRAIL	1795 x 28 x 85	1
TREATED PINE	DEP12CB	1250 x 82 x 82	1
GLASS	DCLPAN	8 x 150 x 820	7
ABS	DCVRB	97 x 62 x 12	1 Pair
• TREATED PINE	DCAP18	1750 x 80 x 26	1


PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Modern Deck - Range






Modern Deck

A low maintenance aluminium extrusion balustrade system boasts zinc brackets and a hardwearing powder coated exterior for an ultra-modern, sleek finish.

Modern Deck

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
ALUMINIUM	MTPST	1200 x 82 x 82	1
ALUMINIUM	MTGR	1800 x 55 x 60	1
GLASS	DCLPAN	8 x 150 x 820	7
ZINC ALLOY	MTRB	95 x 58 x 40	1 Pair
ZINC ALLOY	MTBASE	98 x 98 x 33.5	1
ABS	MTNCAP	80 x 80 x 50	1



MTGR
ALUMINIUM
UNIVERSAL RAIL

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Iron Deck - Bow & Eden Range



Iron Deck Bow & Eden

These eye-catching balusters are the perfect way to customise your decking project. Their elegant curves give substance to your balustrade just as the jet-black finish brings style to your garden.


Bow & Eden

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
ALUMINIUM	DEK-EDEN	820 x 26 x 6	5
ALUMINIUM	DEK-BOW	820 x 26 x 6	5
* TREATED PINE	DCMR	1795 x 35 x 88	1
TREATED PINE	DEP12CB	1250 x 82 x 82	1
ABS	DCVRB	97 x 62 x 12	1 Pair
* TREATED PINE	DCAP18	1750 x 80 x 26	1

ALUMINIUM IS BLACK POWDER COATED.



DCMR
METAL BALUSTER PINE RAIL
85 x 35 x 1795mm




DCAP18
CLEARVIEW CAPPING RAIL
26 x 80 x 1750mm



DEK-BOW
BOW METAL DECK BALUSTERS
820 x 26 x 6mm (Pack of Five)



DEK-EDEN
EDEN METAL DECK BALUSTERS
820 x 26 x 6mm (Pack of Five)



DEP12CB
DECK POST CHAMFERED & BEADED
1250 x 82 x 82mm

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Iron Deck - Tuscany Range

Iron Deck Tuscany

- > 2 pieces of pre-drilled rails
- > 15 metal balusters (powder coated) and 1 locking bar (Arc Kit)
- > Rail hanger brackets with screws


Tuscany - Arc Black Baluster

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
★ TREATED PINE	DCDR	1800 x 36 x 84	2
ABS	DCVRB	97 x 62 x 12	1 Pair
STEEL	TCPK*	17 (diameter) x 810	15

*Including locking bar.

STEEL IS BLACK POWDER COATED.

Note: Newel posts and cap rail sold seperately.



Iron Deck - Traditional Range

Iron Deck Traditional


- > 2 pieces of pre-drilled rails
- > 15 metal balusters (powder coated)
- > Rail hanger brackets with screws

Traditional - Black Baluster

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* TREATED PINE	DCDR	1800 x 36 x 84	2
ABS	DCVRB	97 x 62 x 12	1 Pair
STEEL	TDPK	17 (diameter) x 810	15

STEEL IS BLACK POWDER COATED.

Note: Newel posts and cap rail sold seperately.



Porches, Gallows & Pineboard

110 - Porches & Gallows

These stylish porch canopies and accessories will transform the exterior of any home. They are easy to install, pre-drilled, ready to paint, stain or varnish.

Choose from flat roof or apex designs, with an optional finial for a finishing touch. Manufactured to a high standard and tested by an independent structural engineer.



111 - Pineboard

Pineboard can be used for a range of joinery projects including shelving, furniture or general DIY jobs. Boards can be easily fixed using adhesive, pins, screws or nails. Once sanded, they can easily be painted, waxed or varnished.







Porches & Gallows - Range

Apex Porph Canopy


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	PORCH001	1560 x 1190 x 605	1
PINE	PORCH002	1960 x 1305 x 605	1
PINE	PORCH003	1736 x 1124 x 661	1



PORCH001
APEX PORCH CANOPY



PORCH002
APEX PORCH CANOPY




PORCH003
APEX PORCH CANOPY

Gallows Bracket


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	CP300	605 x 665 x 55	1

Porch Accessories

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	PORCH200	75 x 690 x 75	1



CP300
GALLOWES BRACKET



PORCH200
PORCH FINIAL

Porches

All our porches and gallow components are manufactured to a high standard and tested by an independent structural engineer.



Pre-drilled ready to screw together, side panel kits are ready to paint, stain or varnish to complement your décor.



A porch finial is the perfect decorative addition to an Apex porch. Simply cut the finial and place onto your finished porch.


Pineboard - Range

Whitewood Pineboard


TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	PB01	850 x 200 x 18	1
* PINE	PB02	850 x 250 x 18	1
* PINE	PB03	850 x 300 x 18	1
* PINE	PB04	850 x 400 x 18	1
* PINE	PB05	850 x 500 x 18	1
* PINE	PB06	1150 x 200 x 18	1
* PINE	PB07	1150 x 250 x 18	1
* PINE	PB08	1150 x 300 x 18	1
* PINE	PB09	1150 x 400 x 18	1
* PINE	PB10	1150 x 500 x 18	1
* PINE	PB11	1750 x 200 x 18	1
* PINE	PB12	1750 x 250 x 18	1
* PINE	PB13	1750 x 300 x 18	1
* PINE	PB14	1750 x 400 x 18	1
* PINE	PB15	1750 x 500 x 18	1
* PINE	PB16	1750 x 600 x 18	1
* PINE	PB17	2350 x 200 x 18	1
* PINE	PB18	2350 x 250 x 18	1
* PINE	PB19	2350 x 300 x 18	1
* PINE	PB20	2350 x 400 x 18	1
* PINE	PB21	2350 x 500 x 18	1
* PINE	PB22	2350 x 600 x 18	1




PB01 - PB05
850mm WHITEWOOD PINEBOARD




PB06 - PB10
1150mm WHITEWOOD PINEBOARD



PB11 - PB16
1750mm WHITEWOOD PINEBOARD



PB17 - PB22
2350mm WHITEWOOD PINEBOARD



Mouldings

- 114 - Angles
- 116 - Architrave & Skirting
- 118 - Covers & Coving
- 120 - Decorative
- 124 - Dowel
- 126 - Glass Bead
- 130 - Quadrant
- 132 - Scotia
- 134 - Stripwood
- 138 - Miscellaneous
- 140 - Aluminium & PVC


Note: Measurements

Measurements given are taken from the longest dimensions of the cross section of that particular style of moulding. The first dimension is the largest followed by the shortest. The third dimension is the overall length of the moulding.

Some mouldings have dimensions that significantly change the shape of the cross section (**D & E**). For ease of ordering, these will have the dimensions shown on the corresponding line drawing and will be marked accordingly.

Where mouldings have the same cross section but are available in different sizes we only show a single size for illustrative purposes.

All sizes are approximate.





Angles - Introduction



PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Angles - Range



Cushion Corner Angle




TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM501	18 x 18 x 2400	30
* PINE	TM502	21 x 21 x 2400	30
* PINE	TM510	30 x 30 x 2400	10
* PINE	TM503	35 x 35 x 2400	10
* PINE	TM504	40 x 40 x 2400	10

Cushion Corner Angle



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	OM013	18 x 18 x 2400	10
△ OAK	OM014	21 x 21 x 2400	10
OAK	OM015	35 x 35 x 2400	6

Cushion Corner Angle



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PRIMED	TM502P	20 x 20 x 2400	20

Cushion Corner Angle



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ LT HARDWOOD	RTM901	27 x 27 x 2400	35

Birdsmouth Corner Angle



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM640	18 x 18 x 2400	30

Birdsmouth Corner Angle



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
LT HARDWOOD	RTM862	18 x 18 x 2400	35

Square Corner Angle




TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM511	32 x 32 x 2400	10

Square Corner Angle



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
LT HARDWOOD	RTM859	12 x 12 x 2400	35
LT HARDWOOD	RTM860	18 x 18 x 2400	35
△ LT HARDWOOD	RTM861	21 x 21 x 2400	35

Architrave & Skirting - Introduction



The perfect finishing touch

Easily painted,
stained or
varnished

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Architrave & Skirting - Range

Architrave Block



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	SMBEPINE	85 x 85 x 22	1

Plinth Block



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	PLINTHPS	90 x 30 x 250	1

Chamfered Architrave



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM955	44 x 15 x 2400	10
* PINE	TM957	44 x 15 x 3000	10
* PINE	TM906	70 x 15 x 2400	10

Pencil Round Architrave



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM908	44 x 15 x 2400	10
* PINE	TM909	44 x 15 x 3000	10
* PINE	TM910	70 x 15 x 2400	8
* PINE	TM911	70 x 15 x 3000	8

Skirting



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM912	94 x 15 x 2400	6
* PINE	TM913	94 x 15 x 3000	6

Picture Rail



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM765	41 x 15 x 2400	10

Picture Rail



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM484	45 x 20 x 2400	5
* PINE	TM485	45 x 20 x 3000	5

Torus Architrave



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM960	70 x 20 x 2100	5

Torus Architrave



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
RED HARDWOOD	HTM12	144 x 20 x 2400	1
RED HARDWOOD	HTM13	169 x 20 x 3000	1
RED HARDWOOD	HTM15	44 x 20 x 2100	1

Reed Architrave



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM473	79 x 21 x 2400	5

Ogee Architrave



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM904	55 x 15 x 2400	10
* PINE	TM905	55 x 15 x 3000	10

Ogee Architrave



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
RED HARDWOOD	HTM14	69 x 20 x 2400	1

Covers & Coving - Introduction



D Mould Cover



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• PINE	TM595	18 x 6 x 2400	30
• PINE	TM596	25 x 6 x 2400	30
• PINE	TM498	46 x 6 x 2400	20
• PINE	TM597	34 x 9 x 2400	30

D Mould Cover



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
Δ LT HARDWOOD	RTM841	18 x 6 x 2400	35
LT HARDWOOD	RTM842	21 x 6 x 2400	35
Δ LT HARDWOOD	RTM843	25 x 6 x 2400	35
Δ LT HARDWOOD	RTM844	31 x 6 x 2400	35
Δ LT HARDWOOD	RTM845	34 x 6 x 2400	35
Δ LT HARDWOOD	RTM846	46 x 6 x 2400	35

D Mould Cover



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	OM004	18 x 6 x 2400	20
Δ OAK	OM005	21 x 6 x 2400	20
OAK	OM006	31 x 6 x 2400	20
OAK	OM007	34 x 6 x 2400	20
OAK	OM008	46 x 6 x 2400	15

Half Round Cover



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• PINE	TM589	12 x 6 x 2400	30
• PINE	TM590	18 x 6 x 2400	30
• PINE	TM591	21 x 8 x 2400	30

Half Round Cover



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
Δ LT HARDWOOD	RTM838	12 x 6 x 2400	35
LT HARDWOOD	RTM839	18 x 6 x 2400	35
Δ LT HARDWOOD	RTM840	21 x 6 x 2400	35

Half Round Cover



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• RED HARDWOOD	HTM885	18 x 6 x 2400	35

Covers & Coving - Range

Half Round Cover



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	OM003	18 x 6 x 2400	20

Hockey Stick Cover



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM600	21 x 6 x 2400	30
* PINE	TM601	34 x 12 x 2400	30

Hockey Stick Cover



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ LT HARDWOOD	RTM847	21 x 6 x 2400	35
△ LT HARDWOOD	RTM848	25 x 6 x 2400	35

Round One Edge Cover



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM660	34 x 9 x 2400	20

Twice Round Cover



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM665	45 x 12 x 2400	20

Wainscot Panel Cover



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM223	40 x 14 x 2400	6



Coving



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM810	32 x 21 x 2400	20

Coving



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM811	34 x 12 x 2400	30

Decorative Mouldings - Introduction



Can easily be painted,
stained or varnished

TM488 Dado Rail

TM796 Barrel Mould

PLAN

Visit our online planning service
to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call
our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range
of fitting guides at:
cheshiremouldings.co.uk

Decorative Mouldings - Range



Decorative Barrel Mould



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM795	21 x 9 x 2400	30

Decorative Barrel Mould



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
LT HARDWOOD	RTM857	21 x 9 x 2400	35

Decorative Barrel Mould



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* RED HARDWOOD	HTM886	21 x 9 x 2400	35

Decorative Barrel Mould



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	OM016	21 x 9 x 2400	20

Decorative Barrel Mould



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM796	34 x 12 x 2400	30

Decorative Barrel Mould




TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* RED HARDWOOD	HTM887	34 x 12 x 2400	20

Decorative Barrel Mould



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	OM017	34 x 12 x 2400	10

Decorative Broken Ogee



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM785	21 x 8 x 2400	30

Decorative Mouldings - Range

Decorative Broken Ogee



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	OM019	21 x 8 x 2400	20

Decorative Broken Ogee



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM786	15 x 8 x 2400	30

Decorative Broken Ogee



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	OM018	15 x 8 x 2400	20

Decorative Broken Ogee



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
Δ LT HARDWOOD	RTM903	16 x 7 x 2400	35

Decorative Panel Mould




TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM775	28 x 9 x 2400	30

Decorative Panel Mould



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM776	34 x 9 x 2400	30

Decorative Panel Mould



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM973	21 x 8 x 2400	20

Decorative Panel Mould



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM974	28 x 15 x 2400	20

Decorative Panel Mould



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM975	31 x 12 x 2400	20

Decorative Panel Mould



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM976	32 x 12 x 2400	20

Decorative Panel Mould



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM977	21 x 8 x 2400	20

Decorative Panel Mould



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
Δ LT HARDWOOD	RTM902	15 x 6 x 2400	35

Decorative Mouldings - Range

ASSISTANCE

Any questions? Please call
our technical helpline:
Freephone 0800 085 3475

FITTING GUIDES

Find a comprehensive range
of fitting guides at:
cheshiremouldings.co.uk

Decorative Reed Mould



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM700	21 x 6 x 2400	30
* PINE	TM701	34 x 6 x 2400	30

Decorative Cover Mould



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM560	30 x 8 x 2400	30

Decorative Cover Mould



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM561	45 x 8 x 2400	30

Decorative Cover Mould



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM562	33 x 12 x 2400	30

Decorative Dado Rail



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM480	41 x 20 x 2400	5
PINE	TM481	41 x 20 x 3000	5

Decorative Dado Rail



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM482	45 x 20 x 2400	5
* PINE	TM483	45 x 20 x 3000	5

Decorative Dado Rail



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM486	69 x 28 x 2400	4
* PINE	TM487	69 x 28 x 3000	4

Decorative Dado Rail



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM488	69 x 20 x 2400	4
* PINE	TM489	69 x 20 x 3000	4

Decorative Dado Rail



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
RED HARDWOOD	HTM24	65 x 20 x 2400	1

Decorative Double Astragal



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM520	21 x 9 x 2400	30
* PINE	TM521	34 x 12 x 2400	20

Decorative Double Astragal



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
LT HARDWOOD	RTM856	12 x 6 x 2400	35
△ LT HARDWOOD	RTM832	21 x 9 x 3000	35

Dowel - Introduction



Reinforce
woodworking joints

Plugging screw holes

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Dowel - Range



Dowel



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
★ PINE	TM530	6 x 6 x 2400	50
★ PINE	TM531	9 x 9 x 2400	30

Dowel



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ LT HARDWOOD	RTM821	6 x 6 x 2400	50
△ LT HARDWOOD	RTM822	9 x 9 x 2400	50
△ LT HARDWOOD	RTM823	12 x 12 x 2400	25

Dowel



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
★ PINE	TM532	12 x 12 x 2400	30
★ PINE	TM533	15 x 15 x 2400	30

Dowel



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ LT HARDWOOD	RTM824	15 x 15 x 2400	25
△ LT HARDWOOD	RTM825	18 x 18 x 2400	10
△ LT HARDWOOD	RTM826	21 x 21 x 2400	10

Dowel



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
★ PINE	TM534	18 x 18 x 2400	30
★ PINE	TM535	21 x 21 x 2400	20
★ PINE	TM536	25 x 25 x 2400	10

Dowel



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
LT HARDWOOD	RTM827	25 x 25 x 2400	10
LT HARDWOOD	RTM828	28 x 28 x 2400	10
LT HARDWOOD	RTM829	32 x 32 x 2400	10

Dowel



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	OM030	9 x 9 x 2400	10
OAK	OM031	12 x 12 x 2400	10
OAK	OM032	18 x 18 x 2400	10

Dowel



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
LT HARDWOOD	RTM830	35 x 35 x 2400	10
LT HARDWOOD	RTM831	38 x 38 x 2400	10

Glass Bead - Introduction



Holding glass in place
on doors and windows

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Glass Bead - Range



Firecheck Hockey Stick



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
Δ OAK	OM025	26 x 23 x 2400	10

Firecheck Hockey Stick



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• RED HARDWOOD	HTM889	26 x 23 x 2400	20

Glass Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• PINE	TM570	9 x 9 x 2400	30

Glass Bead




TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• PINE	TM571	12 x 9 x 2400	30

Glass Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• PINE	TM572	15 x 9 x 2400	30

Glass Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• PINE	TM499	12 x 12 x 2400	30

Glass Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• PINE	TM500	15 x 12 x 2400	30

Glass Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• PINE	TM495	12 x 15 x 2400	30

Glass Bead - Range

ASSISTANCE

Any questions? Please call
our technical helpline:
Freephone 0800 085 3475

FITTING GUIDES

Find a comprehensive range
of fitting guides at:
cheshiremouldings.co.uk

Glass Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM956	15 x 15 x 2400	30

Glass Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
LT HARDWOOD	RTM863	9 x 9 x 2400	35

Glass Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ LT HARDWOOD	RTM864	12 x 9 x 2400	35

Glass Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
LT HARDWOOD	RTM865	15 x 9 x 2400	35

Glass Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* RED HARDWOOD	HTM893	9 x 9 x 2400	30

Glass Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* RED HARDWOOD	HTM894	12 x 9 x 2400	30

Glass Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* RED HARDWOOD	HTM895	15 x 9 x 2400	30

Glass Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* RED HARDWOOD	HTM896	15 x 12 x 2400	30

Parting Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM651	21 x 8 x 2400	30

Parting Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM983	27 x 8 x 2400	20

Wedge Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM901	9 x 9 x 2400	30

Glass Bead - Range

Wedge Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM902	21 x 9 x 2400	30

Wedge Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM903	15 x 12 x 2400	30

Wedge Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM961	12 x 15 x 2400	30

Wedge Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM979	19 x 9 x 2400	20

Wedge Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* RED HARDWOOD	HTM888	15 x 12 x 2400	35

Wedge Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* RED HARDWOOD	HTM897	27 x 12 x 2400	10

Staff Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM650	21 x 15 x 2400	20

Staff Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM984	27 x 15 x 2400	20

Triangle Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM970	18 x 18 x 2400	30
* PINE	TM971	21 x 21 x 2400	20

Threshold Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* RED HARDWOOD	HTM892	32 x 21 x 900	5

Threshold Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* RED HARDWOOD	HTM869	88 x 12 x 900	5

Threshold Bead



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
Δ OAK	OM024	88 x 12 x 900	5

Quadrant - Introduction



PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Quadrant - Range

Quadrant



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM972	6 x 6 x 2400	30
* PINE	TM670	9 x 9 x 2400	30
* PINE	TM671	12 x 12 x 2400	30

Quadrant



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM672	15 x 15 x 2400	30
* PINE	TM673	18 x 18 x 2400	30
* PINE	TM674	21 x 21 x 2400	20

Quadrant



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
LT HARDWOOD	RTM858	6 x 6 x 2400	35
Δ LT HARDWOOD	RTM833	9 x 9 x 2400	35
Δ LT HARDWOOD	RTM834	12 x 12 x 2400	35

Quadrant



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
Δ LT HARDWOOD	RTM835	15 x 15 x 2400	35
Δ LT HARDWOOD	RTM836	18 x 18 x 2400	35
Δ LT HARDWOOD	RTM837	21 x 21 x 2400	35

Quadrant



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* RED HARDWOOD	HTM876	9 x 9 x 2400	30
* RED HARDWOOD	HTM880	12 x 12 x 2400	35

Quadrant



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* RED HARDWOOD	HTM881	15 x 15 x 2400	35
* RED HARDWOOD	HTM882	18 x 18 x 2400	20

Quadrant



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	OM009	12 x 12 x 2400	20
Δ OAK	OM010	15 x 15 x 2400	20

Quadrant



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
Δ OAK	OM011	18 x 18 x 2400	10
OAK	OM012	21 x 21 x 2400	10

Quadrant



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PRIMED	TM671P	12 x 12 x 2400	20
* PRIMED	TM672P	15 x 15 x 2400	20

Quadrant



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PRIMED	TM673P	18 x 18 x 2400	10
* PRIMED	TM674P	21 x 21 x 2400	10

Full Quadrant



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM949	9 x 9 x 2400	35
* PINE	TM950	12 x 12 x 2400	35

Full Quadrant



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM951	15 x 15 x 2400	35
* PINE	TM952	18 x 18 x 2400	35
* PINE	TM953	21 x 21 x 2400	25

Scotia - Introduction



PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Scotia - Range



Scotia



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM729	9 x 9 x 2400	50
* PINE	TM730	12 x 12 x 2400	30
* PINE	TM731	15 x 15 x 2400	30

Scotia



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM732	18 x 18 x 2400	20
* PINE	TM733	21 x 21 x 2400	30
* PINE	TM978	30 x 30 x 2400	20

Scotia



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM734	42 x 14 x 2400	10

Scotia



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM735	21 x 15 x 2400	30

Scotia



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
Δ LT HARDWOOD	RTM868	15 x 15 x 2400	35
Δ LT HARDWOOD	RTM869	18 x 18 x 2400	35
LT HARDWOOD	RTM870	21 x 21 x 2400	35

Scotia



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PRIMED	TM731P	15 x 15 x 2400	30
* PRIMED	TM732P	18 x 18 x 2400	20
* PRIMED	TM733P	21 x 21 x 2400	10

Scotia



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* RED HARDWOOD	HTM883	15 x 15 x 2400	35
* RED HARDWOOD	HTM884	21 x 21 x 2400	20

Scotia



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
Δ OAK	OM001	15 x 15 x 2400	20
Δ OAK	OM028	18 x 18 x 2400	20
OAK	OM002	21 x 21 x 2400	10

Stripwood - Introduction



PSE Clear Pine Square



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• PINE	TM620	9 x 9 x 2400	30
• PINE	TM621	12 x 12 x 2400	30
• PINE	TM622	15 x 15 x 2400	30

PSE Clear Pine Square



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• PINE	TM623	18 x 18 x 2400	30
• PINE	TM624	21 x 21 x 2400	20

PSE Clear Pine 6mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• PINE	TM625	6 x 18 x 2400	30
• PINE	TM680	6 x 25 x 2400	30
• PINE	TM626	6 x 30 x 2400	30

PSE Clear Pine 6mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• PINE	TM681	6 x 34 x 2400	20
• PINE	TM629	6 x 44 x 2400	30

PSE Clear Pine 9mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• PINE	TM630	9 x 18 x 2400	30
• PINE	TM627	9 x 21 x 2400	30
• PINE	TM631	9 x 25 x 2400	30

PSE Clear Pine 9mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
• PINE	TM639	9 x 32 x 2400	30
• PINE	TM628	9 x 34 x 2400	30

Stripwood - Range

PSE Clear Pine 9mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM619	9 x 41 x 2400	30
* PINE	TM634	9 x 44 x 2400	30

PSE Clear Pine 12mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM636	12 x 21 x 2400	30
* PINE	TM632	12 x 34 x 2400	30
* PINE	TM633	12 x 44 x 2400	20

PSE Clear Pine 15mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM637	15 x 21 x 2400	30
* PINE	TM638	15 x 32 x 2400	20
* PINE	TM635	15 x 44 x 2400	20

PSE Red Hardwood 20mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
RED HARDWOOD	HTM01	20 x 44 x 3600	1
RED HARDWOOD	HTM02	20 x 69 x 3600	1
RED HARDWOOD	HTM03	20 x 95 x 3600	1

PSE Red Hardwood 20mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
RED HARDWOOD	HTM04	20 x 119 x 3600	1
RED HARDWOOD	HTM05	20 x 144 x 3600	1
RED HARDWOOD	HTM06	20 x 169 x 3600	1

PSE Red Hardwood 20mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
RED HARDWOOD	HTM07	20 x 194 x 3600	1
RED HARDWOOD	HTM08	20 x 219 x 2400	1

PSE Red Hardwood 44mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
RED HARDWOOD	HTM09	44 x 69 x 2400	1
RED HARDWOOD	HTM11	44 x 94 x 2400	1

PSE Red Hardwood 6mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* RED HARDWOOD	HTM879	6 x 25 x 2400	35

PSE Red Hardwood 8mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* RED HARDWOOD	HTM877	8 x 45 x 2400	20

PSE Red Hardwood 9mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* RED HARDWOOD	HTM878	9 x 18 x 2400	35

PSE Light Hardwood Square



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
Δ LT HARDWOOD	RTM849	6 x 6 x 2400	35
LT HARDWOOD	RTM866	9 x 9 x 2400	35
LT HARDWOOD	RTM867	12 x 12 x 2400	35

PSE Light Hardwood 6mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
Δ LT HARDWOOD	RTM850	6 x 12 x 2400	35
Δ LT HARDWOOD	RTM851	6 x 18 x 2400	35
Δ LT HARDWOOD	RTM852	6 x 21 x 2400	35

Stripwood - Range

PSE Light Hardwood 6mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ LT HARDWOOD	RTM853	6 x 25 x 2400	35
LT HARDWOOD	RTM854	6 x 34 x 2400	35
LT HARDWOOD	RTM855	6 x 46 x 2400	35

PSE Light Hardwood 9mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ LT HARDWOOD	RTM900	9 x 21 x 2400	25

PSE Knotty Pine 12mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM641	12 x 45 x 2400	20
* PINE	TM646	12 x 70 x 2400	10
* PINE	TM648	12 x 95 x 2400	10

PSE Knotty Pine 12mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM654	12 x 120 x 2400	10
* PINE	TM652	12 x 145 x 2400	10

PSE Knotty Pine 15mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM996	15 x 68 x 2400	10

PSE Knotty Pine 20mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM644	20 x 34 x 2400	10
* PINE	TM642	20 x 45 x 2400	10

PSE Knotty Pine 20mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM647	20 x 70 x 2400	10
* PINE	TM649	20 x 95 x 2400	10

PSE Knotty Pine 20mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM655	20 x 120 x 2400	5
* PINE	TM653	20 x 145 x 2400	5

PSE Knotty Pine Square



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM980	25 x 25 x 2400	10
* PINE	TM645	34 x 34 x 2400	10
* PINE	TM643	45 x 45 x 2400	6

PSE Knotty Pine 44mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM981	44 x 25 x 2400	10
* PINE	TM916	44 x 69 x 2400	4

PSE Knotty Pine 45mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM954	45 x 95 x 2400	4

ASSISTANCE

Any questions? Please call
our technical helpline:
Freephone 0800 085 3475

FITTING GUIDES

Find a comprehensive range
of fitting guides at:
cheshiremouldings.co.uk

Stripwood - Range

PSE Oak 20mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	OM40	20 x 45 x 2400	1

PSE Oak 20mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	OM41	20 x 70 x 2400	1

PSE Oak 20mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	OM42	20 x 95 x 2400	1

PSE Oak 20mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	OM43	20 x 145 x 2400	1

PSE Oak 20mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	OM44	20 x 195 x 2400	1

PSE Oak 44mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	OM45	44 x 70 x 2400	1



PSE Oak 44mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OAK	OM46	44 x 95 x 2400	1

ASSISTANCE

Any questions? Please call
our technical helpline:
Freephone 0800 085 3475

FITTING GUIDES

Find a comprehensive range
of fitting guides at:
cheshiremouldings.co.uk

Miscellaneous - Range



Airer Laith



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
LT HARDWOOD	RTM890	30 x 12 x 2400	25

Door Drip



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM812	56 x 34 x 900	5
* PINE	TM813	56 x 34 x 1800	5

Door Drip



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
RED HARDWOOD	HTM890	56 x 34 x 900	5

Door Drip



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
Δ OAK	OM026	56 x 34 x 900	5

Matchings



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM493	94 x 7 x 2400	10

Door Stop



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM55024	21 x 9 x 2400	30

Miscellaneous - Range

Door Stop



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM55324	21 x 12 x 2400	30

Door Stop



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM55124	34 x 12 x 2400	30

Door Stop



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM55224	46 x 12 x 2400	20

Door Stop



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
Δ OAK	OM020	34 x 12 x 2400	10

Picture Frame



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM755	21 x 15 x 2400	20

Cladding



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
RED HARDWOOD	HTM16	94 x 14 x 2400	1

Rebated Window Board



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
RED HARDWOOD	HTM17	169 x 20 x 2400	1

Window Board



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
RED HARDWOOD	HTM18	218 x 20 x 2400	1

External Sill



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
RED HARDWOOD	HTM19	139 x 68 x 2400	1

Patio Door Frame Sill




TIMBER / FINISH	CODE	SIZE (mm)	QTY.
RED HARDWOOD	HTM22	139 x 44 x 2400	1

Threshold



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
RED HARDWOOD	HTM21	115 x 15 x 1000	5

Mop Stick Handrail



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
* PINE	TM475	44 x 43 x 4200	5

Aluminium & PVC - Introduction



PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Aluminium & PVC - Range

Aluminium Angle




TIMBER / FINISH	CODE	SIZE (mm)	QTY.
ALUMINIUM	AL01	12 x 12 x 2400	6
ALUMINIUM	AL02	18 x 18 x 2400	6
ALUMINIUM	AL03	25 x 25 x 2400	6

PVC Angle



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PVC	PVC01	12 x 12 x 2400	10
PVC	PVC02	18 x 18 x 2400	10

PVC Angle



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PVC	PVC03	25 x 25 x 2400	10
PVC	PVC04	32 x 32 x 2400	10

PVC Angle




TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PVC	PVC07	18 x 18 x 2400	10

PVC Angle



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PVC	PVC11	10 x 10 x 2400	10
PVC	PVC12	15 x 15 x 2400	10

PVC Angle




TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PVC	PVC13	20 x 20 x 2400	10
PVC	PVC14	40 x 40 x 2400	10

PVC Lipping



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PVC	PVC05	16 x 5 x 2400	10

PVC Lipping



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PVC	PVC06	25 x 5 x 2400	10

PVC Lipping



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PVC	PVC10	16 x 16 x 2400	6

PVC Scotia



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PVC	PVC08	18 x 18 x 2400	10

PVC Scotia



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PVC	TM211	18 x 18 x 2400	6

PVC T Section



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PVC	PVC09	18 x 12 x 2400	6

Handy Packs

Handy Pack Components

144 - 145 - PSE's

Pine PSE are highly practical and versatile planed timber. Smooth and square-edged for a professional finish, ideal for boxing in and use as support battens. Perfect for those simple DIY jobs.

146 - 147 - Sawn & Treated

CLS timber can be used in timber-frame home construction, including carcassing, stud walls, internal partition walls and framing. Our treated timber can be used for a variety of outdoor uses.

147 - Skirting & Architrave

Pine Skirting can add incredible detail to a room as well as hide any unwanted cables. Smooth surface allows easy painting, varnishing and staining. Architrave is a decorative piece of timber which surrounds door ways and door frames to add extra style and personality throughout the house.





Handy Pack - PSE

PSE Pine 12mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1000	12 x 34 x 1800	8
PINE	TM1001	12 x 34 x 2400	8

PSE Pine 12mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1002	12 x 46 x 1800	6
PINE	TM1003	12 x 46 x 2400	6

PSE Pine 21mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1004	21 x 46 x 1800	6
PINE	TM1005	21 x 46 x 2400	6

PSE Pine 19mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1006	19 x 34 x 2400	8
PINE	TM1029	19 x 34 x 1800	8

PSE Pine 19mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1007	19 x 46 x 1800	6
PINE	TM1008	19 x 46 x 2400	6
PINE	TM1037	19 x 46 x 3000	6

PSE Pine 19mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1009	19 x 71 x 3000	4
PINE	TM1010	19 x 71 x 2400	4
PINE	TM1036	19 x 71 x 1800	4

PSE Pine 19mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1011	19 x 96 x 1800	3
PINE	TM1038	19 x 96 x 2400	3
PINE	TM1039	19 x 96 x 3000	3

PSE Pine 34mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1012	34 x 34 x 1800	4
PINE	TM1013	34 x 34 x 2400	4

PSE Pine 46mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1014	46 x 71 x 1800	3
PINE	TM1049	46 x 71 x 2400	3

PSE Pine 46mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1015	46 x 96 x 1800	3
PINE	TM1016	46 x 96 x 2400	3

PSE Pine 9mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1030	9 x 21 x 1800	20
PINE	TM1031	9 x 21 x 2400	20

PSE Pine 9mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1032	9 x 34 x 1800	20
PINE	TM1033	9 x 34 x 2400	12

Handy Pack - PSE

PSE Pine 9mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1034	9 x 18 x 1800	20

PSE Pine 9mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1035	9 x 46 x 2400	10

PSE Pine 19mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1040	19 x 145 x 1800	3
PINE	TM1041	19 x 145 x 2400	3
PINE	TM1042	19 x 145 x 3000	3

PSE Pine 21mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1043	21 x 21 x 1800	10
PINE	TM1086	21 x 21 x 2400	10

PSE Pine 34mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1044	34 x 46 x 1800	4
PINE	TM1045	34 x 46 x 2400	4

PSE Pine 46mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1046	46 x 46 x 1800	4
PINE	TM1047	46 x 46 x 2400	4
PINE	TM1048	46 x 46 x 3000	4

PSE Pine 21mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1050	170 x 21 x 1800	1
PINE	TM1051	170 x 21 x 2400	1
PINE	TM1052	170 x 21 x 3000	1



Tongue & Groove 12mm




TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1068	12 x 16 x 2400	5
PINE	TM1069	12 x 19 x 2400	5

PSE Pine 21mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1053	220 x 21 x 1800	1
PINE	TM1054	220 x 21 x 2400	1
PINE	TM1055	220 x 21 x 3000	1



Dado Rail 20mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1018	20 x 70 x 2400	6

Handy Pack - Sawn

Sawn 19mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1019	19 x 38 x 2400	10
PINE	TM1074	19 x 38 x 1800	10

Sawn 22mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1020	22 x 50 x 1800	10
PINE	TM1075	22 x 50 x 2400	10

Sawn 47mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1021	47 x 50 x 2400	4
PINE	TM1022	47 x 50 x 3000	4

Sawn 47mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1023	47 x 75 x 2400	3
PINE	TM1024	47 x 75 x 3000	3

Sawn 47mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1025	47 x 100 x 2400	2
PINE	TM1026	47 x 100 x 3000	2

Sawn 38mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1087	38 x 63 x 2400	1

Sawn 38mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1088	38 x 89 x 2400	1

Sawn 22mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1076	22 x 75 x 2400	5

Sawn 22mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1077	22 x 100 x 2400	5

PLAN

Visit our online planning service to help you and your customers.
cheshiremouldings.co.uk

CALL

Any questions? Please call our technical helpline:
Freephone 0800 085 3475

FIT

Find a comprehensive range of fitting guides at:
cheshiremouldings.co.uk

Handy Pack - Treated, Architrave & Skirting

Treated 19mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1027	19 x 38 x 1800	10
PINE	TM1028	19 x 38 x 2400	10

Treated 25mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1078	25 x 50 x 1800	6
PINE	TM1079	25 x 50 x 2400	6

Treated 47mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1080	47 x 50 x 1800	4
PINE	TM1081	47 x 50 x 2400	4

Treated 47mm




TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1082	47 x 75 x 1800	3
PINE	TM1085	47 x 75 x 2400	3

Treated 47mm




TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1083	47 x 100 x 1800	2
PINE	TM1084	47 x 75 x 2400	2

Architrave 15mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1017	15 x 71 x 3000	6
PINE	TM1058	15 x 71 x 2100	6

Skirting 15mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1061	15 x 71 x 2100	6
PINE	TM1062	15 x 71 x 3000	6

Architrave 15mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1059	15 x 46 x 2100	8
PINE	TM1060	15 x 46 x 3000	8

Skirting 15mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1056	15 x 46 x 2100	8
PINE	TM1057	15 x 46 x 3000	8

Architrave & Skirting 15mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1063	15 x 96 x 2100	5
PINE	TM1064	15 x 96 x 3000	5

Architrave & Skirting 14mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1065	14 x 18 x 2100	3
PINE	TM1066	14 x 18 x 3000	3

Architrave & Skirting 19mm



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
PINE	TM1067	19 x 71 x 3000	6

Sheet Materials

Sheet Material Components

150 - MDF

MDF is generally stronger than plywood and can be used in a vast array of situations as plywood.

151 - Melamine Board

Melamine Boards are very versatile and can be used as a cost-effective alternative to solid wood. Available in white.

152 - Chipboard

Top quality chipboard is a cost effective alternative for flooring boards as well as providing a solution for a vast array of builders demands.

152 - Hardboard

Hardboard is a rigid engineered panel with smooth faces. It is lightweight making it ideal for a wide range of uses.

153 - OSB

OSB (Oriented Strand Board) is durable, suitable for load bearing applications and is ideal for interior use and general exterior applications.

154 - Plywood

Engineered wooden sheets. Ideal for flooring, walls, roofing and hoardings. Also ideal for painting.

**SUITABLE FOR INTERNAL USE ONLY. IF USED EXTERNALLY,
ALL FACES AND ANY EDGES NEED TO BE COMPLETELY SEALED.**





Sheet Materials - MDF



MDF

MDF is generally stronger than plywood and can be used in a vast array of situations as plywood.

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
MDF	MDF01	2 x 1220 x 610	1
MDF	MDF02	2 x 1220 x 915	1
MDF	MDF03	2 x 2440 x 1220	1
MDF	MDF04	3 x 2440 x 1220	1
MDF	MDF05	4 x 915 x 610	1
MDF	MDF06	4 x 1220 x 610	1
MDF	MDF07	4 x 1830 x 610	1
MDF	MDF08	4 x 2440 x 1220	1
MDF	MDF09	6 x 915 x 610	1
MDF	MDF10	6 x 1220 x 610	1
MDF	MDF11	6 x 1830 x 610	1
MDF	MDF12	6 x 1830 x 1220	1
MDF	MDF13	6 x 2440 x 1220	1
MDF	MDF14	9 x 915 x 610	1
MDF	MDF15	9 x 1220 x 610	1
MDF	MDF16	9 x 1830 x 610	1
MDF	MDF17	9 x 1830 x 1220	1
MDF	MDF18	9 x 2440 x 1220	1
MDF	MDF19	12 x 915 x 610	1
MDF	MDF20	12 x 1220 x 610	1
MDF	MDF21	12 x 1830 x 610	1
MDF	MDF22	12 x 1830 x 1220	1
MDF	MDF23	12 x 2440 x 1220	1
MDF	MDF24	15 x 915 x 610	1
MDF	MDF25	15 x 1220 x 610	1
MDF	MDF26	15 x 1830 x 610	1
MDF	MDF27	15 x 2440 x 1220	1
MDF	MDF28	18 x 915 x 610	1
MDF	MDF29	18 x 1220 x 610	1
MDF	MDF30	18 x 1830 x 610	1
MDF	MDF31	18 x 1830 x 1220	1
MDF	MDF32	18 x 2440 x 1220	1

Sheet Materials - Melamine Board

Melamine Board

Melamine Boards are very versatile and can be used as a cost-effective alternative to solid wood. Available in white and a variety of other colours.



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ WHITE	MEL01	15 x 152 x 1830	1
△ WHITE	MEL02	15 x 229 x 1830	1
△ WHITE	MEL03	15 x 305 x 1830	1
△ WHITE	MEL04	15 x 381 x 1830	1
△ WHITE	MEL05	15 x 457 x 1830	1
△ WHITE	MEL06	15 x 533 x 1830	1
△ WHITE	MEL07	15 x 610 x 1830	1
△ WHITE	MEL08	15 x 152 x 2440	1
△ WHITE	MEL09	15 x 229 x 2440	1
△ WHITE	MEL10	15 x 305 x 2440	1
△ WHITE	MEL11	15 x 381 x 2440	1
△ WHITE	MEL12	15 x 457 x 2440	1
△ WHITE	MEL13	15 x 533 x 2440	1
△ WHITE	MEL14	15 x 610 x 2440	1
△ WHITE	MEL16	15 x 762 x 2440	1
△ WHITE	MEL17	15 x 915 x 2440	1
WHITE	MEL47	100 metre Edging Roll	1



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ COOL GREY	MEL18	15 x 152 x 2440	1
△ COOL GREY	MEL19	15 x 229 x 2440	1
△ COOL GREY	MEL20	15 x 305 x 2440	1
△ COOL GREY	MEL21	15 x 381 x 2440	1
△ COOL GREY	MEL22	15 x 457 x 2440	1
△ COOL GREY	MEL23	15 x 533 x 2440	1
△ COOL GREY	MEL25	15 x 610 x 2440	1
COOL GREY	MEL48	100 metre Edging Roll	1



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ OPERA WALNUT	MEL33	15 x 152 x 2440	1
△ OPERA WALNUT	MEL34	15 x 225 x 2440	1
△ OPERA WALNUT	MEL35	15 x 305 x 2440	1
△ OPERA WALNUT	MEL36	15 x 381 x 2440	1
△ OPERA WALNUT	MEL37	15 x 457 x 2440	1
△ OPERA WALNUT	MEL38	15 x 533 x 2440	1
△ OPERA WALNUT	MEL39	15 x 610 x 2440	1
OPERA WALNUT	MEL50	100 metre Edging Roll	1



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ LISSA OAK	MEL40	15 x 152 x 2440	1
△ LISSA OAK	MEL41	15 x 225 x 2440	1
△ LISSA OAK	MEL42	15 x 305 x 2440	1
△ LISSA OAK	MEL43	15 x 381 x 2440	1
△ LISSA OAK	MEL44	15 x 457 x 2440	1
△ LISSA OAK	MEL45	15 x 533 x 2440	1
△ LISSA OAK	MEL46	15 x 610 x 2440	1
LISSA OAK	MEL51	100 metre Edging Roll	1

Sheet Materials - Chipboard & Hardboard



Chipboard

Top quality chipboard is a cost effective alternative for flooring boards as well as providing a solution for a vast array of builders demands.

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
CHIPBOARD	CPB01	12 x 610 x 915	1
CHIPBOARD	CPB02	12 x 610 x 1220	1
CHIPBOARD	CPB03	12 x 610 x 1830	1
CHIPBOARD	CPB04	12 x 915 x 1220	1
CHIPBOARD	CPB05	12 x 1220 x 2440	1
CHIPBOARD	CPB06	18 x 610 x 915	1
CHIPBOARD	CPB07	18 x 610 x 1220	1
CHIPBOARD	CPB08	18 x 610 x 1830	1
CHIPBOARD	CPB09	18 x 915 x 1220	1
CHIPBOARD	CPB10	18 x 1220 x 2440	1



Hardboard

Hardboard is a rigid engineered panel with smooth faces. It is lightweight making it ideal for a wide range of uses.

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
HARDBOARD	HB1	3 x 1220 x 2440	1
HARDBOARD	HB2	3 x 610 x 1220	1
HARDBOARD	HB3	3 x 610 x 1830	1
HARDBOARD	HB4	3 x 915 x 1220	1
HARDBOARD	HB5	3 x 1220 x 1220	1
HARDBOARD	HB6	3 x 1220 x 1830	1



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
WHITE FACED H/BOARD	HB7	3 x 610 x 1220	1
WHITE FACED H/BOARD	HB8	3 x 610 x 1830	1
WHITE FACED H/BOARD	HB9	3 x 1220 x 2440	1

Sheet Materials - OSB

OSB

OSB (Oriented Strand Board) is durable, suitable for load bearing applications and is ideal for interior use and general exterior applications.

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
OSB 3 BOARD	OSB01	9 x 610 x 1220	1
OSB 3 BOARD	OSB02	9 x 610 x 1830	1
OSB 3 BOARD	OSB03	9 x 1220 x 2440	1
OSB BOARD	OSB04	11 x 610 x 1220	1
OSB BOARD	OSB05	11 x 610 x 1830	1
OSB BOARD	OSB06	11 x 1220 x 2440	1
OSB BOARD	OSB07	18 x 610 x 1220	1
OSB BOARD	OSB08	18 x 610 x 1830	1
OSB BOARD	OSB09	18 x 1220 x 2440	1



**Say hello
to our latest
flooring
collections**

From Laminate Flooring to
Solid Oak, see previous pages
for more details.

Sheet Materials - Plywood

Plywood

Engineered wooden sheets. Ideal for flooring, walls, roofing and hoardings. Also ideal for painting.

SUITABLE FOR INTERNAL USE ONLY. IF USED EXTERNALLY, ALL FACES AND ANY EDGES NEED TO BE COMPLETELY SEALED.



Sheet Materials - Plywood



TIMBER / FINISH	CODE	SIZE (mm)	QTY.
△ PLYWOOD	PLY01	3.6 x 610 x 610	1
△ PLYWOOD	PLY02	3.6 x 915 x 610	1
△ PLYWOOD	PLY03	3.6 x 1220 x 610	1
△ PLYWOOD	PLY04	3.6 x 1830 x 610	1
△ PLYWOOD	PLY05	3.6 x 2440 x 610	1
△ PLYWOOD	PLY06	3.6 x 1220 x 915	1
△ PLYWOOD	PLY07	3.6 x 1220 x 1220	1
△ PLYWOOD	PLY08	3.6 x 1830 x 1220	1
△ PLYWOOD	PLY09	3.6 x 2440 x 1220	1
△ PLYWOOD	PLY10	5.5 x 610 x 610	1
△ PLYWOOD	PLY11	5.5 x 915 x 610	1
△ PLYWOOD	PLY12	5.5 x 1220 x 610	1
△ PLYWOOD	PLY13	5.5 x 1830 x 610	1
△ PLYWOOD	PLY14	5.5 x 2440 x 610	1
△ PLYWOOD	PLY15	5.5 x 1220 x 915	1
△ PLYWOOD	PLY16	5.5 x 1220 x 1220	1
△ PLYWOOD	PLY17	5.5 x 1830 x 1220	1
△ PLYWOOD	PLY18	5.5 x 2440 x 1220	1
△ PLYWOOD	PLY19	9 x 610 x 610	1
△ PLYWOOD	PLY20	9 x 915 x 610	1
△ PLYWOOD	PLY21	9 x 1220 x 610	1
△ PLYWOOD	PLY22	9 x 1830 x 610	1
△ PLYWOOD	PLY23	9 x 2440 x 610	1
△ PLYWOOD	PLY24	9 x 1220 x 915	1
△ PLYWOOD	PLY25	9 x 1220 x 1220	1
△ PLYWOOD	PLY26	9 x 1830 x 1220	1
△ PLYWOOD	PLY27	9 x 2440 x 1220	1
△ PLYWOOD	PLY28	12 x 610 x 610	1
△ PLYWOOD	PLY29	12 x 915 x 610	1
△ PLYWOOD	PLY30	12 x 1220 x 610	1
△ PLYWOOD	PLY31	12 x 1830 x 610	1
△ PLYWOOD	PLY32	12 x 2440 x 610	1
△ PLYWOOD	PLY33	12 x 1220 x 915	1
△ PLYWOOD	PLY34	12 x 1220 x 1220	1
△ PLYWOOD	PLY35	12 x 1830 x 1220	1
△ PLYWOOD	PLY36	12 x 2440 x 1220	1
△ PLYWOOD	PLY37	18 x 915 x 610	1
△ PLYWOOD	PLY38	18 x 1220 x 610	1
△ PLYWOOD	PLY39	18 x 1830 x 610	1
△ PLYWOOD	PLY40	18 x 1220 x 1220	1
△ PLYWOOD	PLY41	18 x 1830 x 1220	1
△ PLYWOOD	PLY42	18 x 2440 x 1220	1

PLYWOOD TECHNICAL SPECIFICATION

CE2 + EN636-1 EN314-2 Class 2 - Suitable for internal use.

Thickness: 3.6 & 5.5mm - Only to be used for non-structural building work, vehicle lining, caravan / motorhome interiors and furniture.

Thickness: 9, 12 & 15mm - Vertical structural and non-structural building work, packaging, commercial shop fitting, furniture, dry lining and van lining.

Thickness: 18 & 25mm - Horizontal and non-structural building work, internal decking and site hoarding when protected.

Technical Information

157 - About Us

158 - Stairparts - Installation

159 - Stairparts - Finishing

160 - Decking - Installation

161 - Decking - Finishing

162 - Terms & Conditions / Certificates

163 - Notes / Planner



Cheshire Mouldings - About Us

We are the Number 1 Independent Manufacturer and Supplier of Stairparts, Decking Balustrading & Decorative and Architectural Mouldings.

Founded in 1988 in Warrington, Cheshire Mouldings stayed for 10 years before relocating to our current site in 1998. The Carney family founded the company with a simple idea in mind "To be the best".

What Makes Us Special?

Our first class service, outstanding quality and extensive product range set Cheshire Mouldings apart from other companies in our sector. We always aim to be the best. And we believe we are.

Our customers know that whatever they buy from Cheshire Mouldings they are going to receive a top quality product. This confidence and trust has been built up over a number of years and is very important to us. We also carry a large amount of stock, which means we can offer our customers a fast, reliable service that delivers within five working days.

Over 25 Years of Experience

Well after over 20 years of leading the way in fittings and fixtures you'd expect us to have gathered a huge amount of experience, and we have. We've supplied small independent businesses for many years and during this time we've built some great relationships and had many happy customers.

Over the last 5 years we have also started to supply a number of national retail giants and this has blessed us with a wealth of experience with meeting the demands of all sized businesses and we value them all, however large or small.



Stairparts - Installation

Regulations & Standards

Timber stairparts from Cheshire Mouldings have been independently tested.

This means that they conform fully to the domestic requirements laid down by UK Building Regulations Part K, relating to guarding and resistance to horizontal force.


Relevant British Standards for compliance are BS585 Part 1 1989 and AMD 6510, concerning wooden stairs and their fixings; BS5395 Part 1 2010 about straight stairs; and BS6180 2011 with its code of practice for protective barriers.

Domestic

As stated, the Cheshire Mouldings balustrade systems conform to domestic standards as set out in Building Regulations Part K.

This asserts that "The guarding should be able to resist a horizontal force of 0.36kN for each metre of length if it guards a private stairs".

Cheshire Mouldings spindles have also been tested in accordance with BS610.



Further Regulations

Private Stairs are those for use in a single private dwelling. The maximum permitted rise is 220mm and a minimum going of the same 220mm.

Assembly Stairs or institutional stairs serve where a significant number of people gather. The maximum permitted rise is 150mm, the minimum going 280mm.

All Other Stairs must have a maximum rise of 190mm and a minimum going of 250mm.

Approved Document M deals with access and facilities, plus maximum rise of stairs, for disabled people.

Rise and Going relationship is detailed in Approved Document K, which informs you that twice the rise plus the going ($2R+G$) should be between 550mm and 700mm.

Pitch is the angle between the pitch line, or notional line connecting nosings, and the horizontal. Regulations state that the maximum pitch of domestic stairs must be 42 inches, semi-public stairs such as in factories and offices must be a maximum 38 inches, with stairs in fully public places a maximum of 33 inches.

Handrails are governed by Approved Document K. Flights of stairs must have a handrail on at least one side if they are under one metre wide and on both sides if they are a metre wide or bigger.

Handrails are not required beside the bottom two steps.

Handrail heights are 900mm minimum for domestic stairs and landings. but in public areas the handrail heights must be 900mm on stairs and 1100mm on landings.

Balustrade openings are also subject to Building Regulations. No opening should allow the passage through of a 100mm sphere.

Stairparts - Finishing

Visit our easy-to-use online
stairplanning service at :
www.cheshiremouldings.co.uk

A Variety of Applications

There are many available options for finishing off your stairparts. The most commonly used are wood stains or dyes, protective wood stains, paint, varnish, oils, French polishing, and, for coarse grained wood, liming.

Wood Stains or Dyes

Staining penetrates the wood and will enhance the colour. It can also neutralise natural colour variations in the timber.

Quick drying, stains or dyes are normally rubbed in along the grain with a cloth. Be aware that they will not seal the wood, so varnishing or polishing will be required as well.

Varnish

There are clear, matt, satin and gloss varnishes, plus tinted versions, all providing you with a heat and water resistant, durable finish needing very little maintenance.

Coloured varnishes, however, do not penetrate the wood, so add one or two coats of clear varnish to help prevent colour loss.

Liming

Liming - unslaked lime and water - comes into its own for coarse grained woods such as oak. When dry, it needs rubbing down with glasspaper, then coating with French polish, finally a coating of white polish.

An easier method involves mixing white matt emulsion with water, to about the consistency of milk, then brushing it on before sealing with two coats of satin varnish. Easily applied liming wax is also available.

Protective wood stains

Unlike standard wood stains or dyes, the protective variety seals the wood.

Normally applied with a brush and because it is quick drying, further coats can be applied at approximately two-hourly intervals: but check the manufacturer's instructions.

Oils

You can use oils to seal hardwood - not recommended for softwoods as they discolour and dirty too easily.

There's plenty of choice and application is straightforward, either by cloth or brush. Some will accept varnish for protection.

Paint

New timber needs a coat of primer and at least one application of undercoat before the topcoat of gloss is added.

Use what is known as a knotting solution on any live knots and resinous areas to prevent seepage through on to the finished surface.

French Polish

Layers of French polishing, a mix of alcohol and shellac, will provide an excellent gloss finish, although it is easily scratched and damaged by liquids or anything hot.

Two-part plastic coating is a more hardwearing alternative, designed to provide resistance to scratches, liquids and heat.

Decking - Installation

Regulations & Standards

Outside balustrade systems of all timber types from Cheshire Mouldings have been independently tested for conformity with the relevant Building Regulations in the UK.

All Cheshire Mouldings balustrade systems meet the standards laid down for domestic use. BS6399 Part 1 1966, Loading for Buildings.

A set of European Union regulations for biocidal products are now in place as well, meant to protect people, animals and articles against harmful organisms contained in such products. This is Regulation (EU) 528/2012.

Domestic Settings - Tested by FIRA

Domestic-use balustrades, including stairs and landings, must resist a minimum horizontal, uniformly distributed line load of 0.36kN/m; a uniformly distributed infill load of 0.5kN/m²; and a point load to part of the infill of 0.25kN.

Decks that are 600mm or more above ground require balustrades to conform to the same capability of the heavier loadings of commercial settings.

Raised domestic and light commercial systems have increased requirements. Light commercial means for areas such as offices, hotels and public houses. Here, a balustrade should resist a minimum horizontal, uniformly distributed line load of 0.74kN/m; a uniformly distributed infill load of 1.0kN/m²; and a point load to part of the infill of 0.5kN.

Heavy Commercial Settings

Where many people could congregate and there might be overcrowding - the balustrade should be set at 900mm on stairs and 1100mm for landings and horizontal guarding. Balustrades in these environments have to resist a minimum horizontal, uniformly distributed line load of 1.5kN/m; a uniformly distributed infill load of 1.5kN/m²; and a point load to part of the infill of 1.5kN.

Further Regulations

Cheshire Mouldings is a full member of the Timber Decking and Cladding Association (TDCA).

This technical and advisory trade organisation provides expert guidance on materials and procedures to ensure high quality decking and associated structures.

Third-party quality assurance safeguarding is operated on behalf of the TDCA.

Under the Deck-Mark Certification Scheme, which is based on ISO 9000, Cheshire Mouldings products have been confirmed as complying with best-practice guidance and the relevant British Standards.

Deck-Mark Plus is an extension to the scheme, applied to any products which have an additional performance rating as per BS EN ISO14001:2004 Environmental Management and BS EN ISO 9001:2000 Quality Management.

All registered trade names and trade marks are recognised and respected.

Deck-Mark®, Deck-Mark Plus®, Celcure® AC-500.



The **perfect finishing touch**
to your outdoor living space

plan  your **DECK**

Decking - Finishing

Treatment & Maintenance

Outdoor balustrade and decking supplied by Cheshire Mouldings is of superior quality. Once you have fitted and fixed, you need to give the product best possible treatment and then maintain it in order to make sure that it remains splendidly attractive for as long as possible.

With the installation complete, you may want to apply a deck cleaner to remove any dirt or grease. This will brighten the timber as well.

Hardwood Balustrades

Although quite tough, any untreated timber exposed to the weather needs to be protected.

To protect and enhance your balustrade, apply a proprietary clear water repellent, semi-transparent seal or a decking oil. First make sure that the balustrade is dry - test by sprinkling drops of water over the surface and if the wood does not absorb the moisture let it dry out and retest before starting the application.

Apply an end-seal preservative to any surface that has been exposed by drilling or cutting.

Balustrade Maintenance

For all balustrade components, follow carefully the seal, stain or oil recommendations of the manufacturer and test on an off-cut or hidden surface.

Cheshire Mouldings recommends that all components should be recoated at least annually.

Use a cloth, slightly heated water and a mild detergent for items such as glass and alloy posts or rails. Do not polish or employ abrasive cleaners and scourers.

Softwood Decking

As standard, timber decking materials from Cheshire Mouldings are made from softwood Scots Pine. There is a natural tendency as the timber weathers for there to be minor surface checking and splitting, caused by the variation in moisture content and the effects of wetting and drying out. These surface defects do not harm the decking structure.

As with balustrades, decking should have a proprietary clear water repellent,

semi-transparent seal or decking oil applied, for the sake of protection and enhancement. Make sure that the decking is dry before you start. Test by sprinkling drops of water over the surface and if the wood does not absorb the moisture let it dry out and retest before carrying out the work.

Note that newly-laid decking should not have any finish applied until it has weathered properly.

Add an end-seal preservative to any surface that has been exposed by drilling or cutting.

Decking Maintenance

The need for cleaning will depend on how much the deck is used and the proximity of trees and foliage, of course. At least once per season, maybe twice, take a stiff broom to the wood, dislodging algae and reducing the risk of the area becoming slippery.

It is recommended that you hose down the deck thoroughly twice per year, if necessary employing a deck cleaner and brightener.

Surface resin is best removed with a chisel, then you will need to recoat the area. Use a blade to remove any debris build-up in the grooves between the boards, as these gaps are needed for drainage and air circulation. Check all fixings, repunch nail heads and tighten screws as and where necessary.

Pressure Treated

Softwood outdoor balustrade components are treated to make them last for 15 years. They are pressure treated with Celcure AC - 500. Initially, this has a green appearance, but it weathers to a honey brown before eventually fading to grey. It can be painted or stained to match any outdoor colour scheme.

Visit our easy-to-use online
planning service at :
www.planyourdeck.co.uk

plan
your DECK

Terms & Conditions / Certificates

Wherever possible, Cheshire Mouldings products are manufactured from solid timber, although in a small number of cases we do laminate and on occasion finger-joint pieces in order to enhance a products strength and/or stability or to reduce environmental impact. Timber is a natural material and colours may vary between components.

Cheshire Mouldings fully support and are able to supply FSC® certified products originating from responsibly managed forests. We are also able to supply PEFC certified products from sustainable sources, together with products certified under the BM TRADA Forest Products certification scheme.

Detail of which products are certified under each scheme are listed on your invoice.

All products are subject to availability. The certification status of any product may change

As timber is a natural product, colours can vary between different components in our range.

We use metric dimensions for all the products listed in this brochure.

Whilst every care has been taken to ensure the information contained within this Trade Product Guide is accurate, with our ever increasing product offering errors may occur. Cheshire Mouldings reserve the right to amend prices and details at any time.

Our price list will be updated on a regular basis.

Returns Policy for Saleable Product

All returns to Cheshire Mouldings are subject to a restocking charge. The request for the return must be received within 28 days of delivery. The charge is the higher of £35 or 25% of the goods value.

Please note we cannot accept returns for 'customer order only' products.

All orders refused due to late cancellation of the order are also subject to the restocking charge.

Cheshire Mouldings has a policy of continuous product development and improvement. Whilst information is correct at the time of going to press, we reserve the right to make changes without notice. E&OE.

Look for FSC® certified products.




The mark of responsible forestry



FIRA tested. Details available on request.





CHESHIRE mouldings TRADE

Cheshire Mouldings & Woodturnings Ltd

Cheshire House,
Unit 4 Abbotsfield Road,
St. Helens, WA9 4HU

Telephone:
+44 (0)1744 811 545

Facsimile:
+44 (0)1744 811 475

Email:
enquiries@cheshiremouldings.co.uk

Website:
www.cheshiremouldings.co.uk

Technical Helpline:

Freephone 0800 085 3475

Follow us for all the
latest news and updates



CheshireMouldings1



@CheshireMould



Cheshire Mouldings and Woodturnings Ltd



@cheshiremouldings

